

PLASCON ENAMEL SPRAYING REDUCER

PRODUCT CODE: TH 3 TECHNICAL DATA SHEET

Product Description	Aliphatic Hydrocarbon Solvent for use as specified. Product does not contain methanol.	
Intended Uses	Used in the enamel range of products as a reducer. To clean equipment, spray guns, rollers, brushes etc.	
Product Information	Appearance Type S G at 23°C Flash Point Boiling point/range	Colourless liquid Hydrocarbon solvents 0,69 kg / ℓ (typical) <0 °C (ASTM D 56) 60 °C – 100 °C
Application Details	Mixing	Use in the proportion as specified.
Storage and Packaging	Store in a cool place, away from direct sunlight, open flames and sparks Packaging: 5 L, 1 L	
Cautions	Use in Enamels	
Safety Precautions	 Flammable - Keep away from source of ignition, flames, sparks and heat. Use only in well ventilated environments. Do not smoke during use. Keep out of reach of children. Dangerous if swallowed. Seek medical attention immediately. Do not induce vomiting. Avoid contact with skin and eyes. Do not dispose of into natural water-ways or drainage system. Refer to Safety Data Sheet for complete information 	

DISCLAIMER

The recommendations contained herein are given in all good faith and are meant to guide the specifier or the user. They are based on results gained from our tests and experiences and are believed to be reliable. No guarantee is implied by the recommendations contained herein since conditions of use, method of application and cleanliness of the substrate prior to painting are beyond our control.

N.B. Technology may change with time necessitating changes to this Technical Data Sheet (TDS). It is the responsibility of the user to ensure that the latest TDS is being used.

NB: TO ORDER: Quote product name, product code number, packaging and colour.

KANSAI PLASCON (PTY) LTD

10 Frederick Cooper Drive, Factoria, Krugersdorp South Africa 1739.

Tel: +27 11 951 4500 Fax: +27 800 110 932

PLASCON ADVISORY SERVICE: 0860 20 40 60 EMAIL: advice@kansaiplascon.co.za



TDS: TH 3 Version: 2.00 Revision date: 01/02/2019 Page 1 of 1