


Plasti-Lock

INTERLOCKING VINYL FLOORING



Plasti Lock vinyl floor tiles are an aesthetically pleasing “visible interlocking” alternative for a hard wearing floor surface.



EASE OF INSTALLATION

Plasti-Lock tiles are made from flexible PVC and clip into one another like pieces of a puzzle, making it an easy floor to install. They can be laid over hard carpets, tiles, concrete and wooden surfaces with ease, providing the sub-floor is relatively level and hard.

SAFETY

In addition to the renowned properties of PVC, the Plasti-Lock tiles have a textured surface pattern, which work to alleviate slippage in the case of pedestrian traffic.

NO ADHESIVE REQUIRED

The interlock that join the tiles together makes it possible, in many applications, for you to lay the tiles without gluing them down. (Please make reference to the installation instructions). All one needs to do the job is a rubber mallet and a sharp utility knife.

COST EFFECTIVE

The Plasti-Lock tile is a cost effective solution as most of the tiles are made from selected recycled PVC. It is slightly thinner and the floor will require less tiles per meter squared than other options in our stable of products.

CHARACTERISTICS

Impact resistant, chemical resistant, slip resistant, hard wearing, excellent thermal and accoustic characteristics.



Original

SPECIFICATIONS








Areas of use

Industrial, Commercial, Domestic

Material Used

Superior Grade Recycled and/or Virgin based Vinyl

Colours Available in both patterns

	Black		Yellow
	Dark Grey		Red
	Light Grey		
	Teal		
	Taupe		
	Azure Blue		
	Royal Blue		


Tile Size

500 mm x 500 mm

Tile Pattern & Thickness

Stud 5 mm $\pm 6\text{kg/m}^2$

Leathergrain 4 mm $\pm 6\text{kg/m}^2$



TWO RANGES ARE AVAILABLE:

The **Original**, made from superior grade recycled and/or virgin based vinyl. It is available in two surface patterns and a range of colours.

The **Big Brother** is available in the 5 mm and 7 mm thick stud pattern and manufactured from Black reclaimed material. This heavy duty tile has slight visible impurities and is marketed to Industrial sectors.


Interlocking tile ramps are also available to complete the floor off at the entrances.

ADVANTAGES

- Durable, flexible & practical
- Fast, easy installation and maintenance
- Little or no production down time when installing
- Non slip
- Re-usable

APPLICATIONS

- | | |
|-----------------|----------------------|
| • Containers | • Tyre fitment shops |
| • Factories | • Workshops |
| • Warehouses | • Assembly plants |
| • Control rooms | • Offices |
| • Retail shops | • Store rooms |
| • Laboratories | • Health clubs |
| • Schools | • Spinning zones |
| • Lifts | • Creches |



Big Brother

SPECIFICATIONS

Areas of use

Industrial and Commercial

Material Used

Reclaimed Vinyl

Colours Available

 Black


Tile Size



510 mm x 510 mm

Tile Pattern & Thickness

Stud 5 mm $\pm 6\text{kg/m}^2$

Stud 7 mm $\pm 9\text{kg/m}^2$






INSTALLATION

Plasti - Lock tiles are recommended for interior use.

These tiles can be installed without adhesive in light to light/medium traffic applications but for more demanding areas a full spread adhesive should be used. Other areas would include where there is direct sunshine or small free-standing areas where the tiles might "creep" (Please make reference to the installation instructions)



CLEANING

Vacuuming has been found to be an effective dry cleaning method. In a wet maintenance method one can scrub or mop with a neutral (PH 7-8.5) detergent. A limited amount of water is used with the dispensing of the dirty water regularly.

DESIGNER KITS

The designer kits shown below are available in Plasti Lock Original and can be added to or altered, to suit each specific customers needs.

Garage Kits

Garage kits are ideal for the domestic garage. As a DIY product the home owner can install the tiles within a few hours. The only adhesive that might be required is at the front of the garage where hot sun falls on the tiles. The tiles are also packed in durable bags for easy handling.

The Garage Kits consist of:

- 40 m² black studded tiles
- 20 black interlocking ramps
- 10 dark grey interlocking demarcation strips.



Desks Kits

The Desk Kits are designed to provide free uninhibited glide of desk chair castors wheels while protecting the sub-floor. Where it might be a hard pile carpet or wooden floor.

The Desk Kits consist of :

- 7 leather grain black tiles
- 12 interlocking ramps
- 6 interlocking corner ramps



Island Kits

Island kits are for areas where people stand for long periods of time and because PVC is a good insulator it keeps the cold off their feet. These kits include tapered trims to eliminate any potential trip hazards.

The Island kit consists of:

- 4 black tiles
- 8 interlocking ramps (available colours: Black, Dark Grey, Yellow, Red, White)
- 4 interlocking corner ramps



ACCESSORIES


A full set of interlocking “trims” are available for the Plasti Lock tiles. These trims are available in a selection of colours: Black, Dark Grey, Yellow, Red

The trims consist of :

- 1 Interlocking ramp: 138 mm x 500 mm – to prevent potential trip hazards.
- 2 Interlocking corner ramp: 138 mm x 138 mm – to prevent potential trip hazards at the corners of the tiles.
- 3 Interlocking demarcation strip: 140 mm x 500 mm – to demarcate areas in the floor such as parking lines for motor vehicles.
- 4 Interlocking mini square: 140 mm x 140 mm – to solve interlocking colour changes when using the “interlocking strips”

SAFETY AND HAZARD SIGNS

In addition to the safety features that these tiles provide, Tuff Floors now offers four selected Safety / Hazard signs. The images have been printed on the tiles and a special sealer applied to protect the image. It must be noted though, that these tiles should be placed in low traffic areas.



INSTALLATION TOOLS

A selection of tools and adhesives are available to assist in the installation of our products.

- A White Rubber Mallet
- B Dead Blow Mallet (50mm)
- C Rafter Square
- D Tape Measure (3 meter)
- E Stanley Knife
- F Stanley Blades
- G Tile Adhesive Applicator
- H 2 Piece Chalk Set
- I Floor Demarcation Tape (48 mm x 33 m) Red , Yellow, Black/Yellow, Red/White
- J Anti skid stair tape (48mm x 18m)

