





Technical Features

- Robust construction for high level durability........and security
- Black powder coated steel case gives.....
 exceptional corrosion resistance
- Single throw brass deadbolt with hardened steel......rotating pins to prevent sawing.
- Brass Latch, Pull and Twist for on site handing
- 35° follower action for firm positive opening action,with firm follower spring for heavy duty handles.
- Suitable for Large Oval cylinders as well
- Separate forend in stainless steel or brass,to conceal all fixings.

Included

- Flat strike, stainless steel or brass.
- Fixing screws for lock and striker

Specification

- Bolt Tested:
 - 500 kg side push resistant
 - 400 kg front push resistant
- Durability Tested:
 - 200 000 cycles 120N load ..
 - .. on the latch
- Door Suitability
 - up to 200kg doors, 15N max ...closing force.
- Corrosion Resistance: F
 - High Corrosion Resistant
 - 96 hour salt spray test



						GUA	RANTEE
Item	Description	Faceplate	Throws	Туре	Backset	Finish	Price without Cylinder
The state of the s	 Dead lock version Brass face plate and brass plated strike Stainless Steel face plate and strike 	25 25	1	55210 55210	57 57	00 20	•
Tanks Discovery and the second secon	 Latch and dead bolt Brass Latch, Pull and Twist for on site handing Brass face plate and brass plated strike Stainless Steel face plate and strike 	25 25	1	55220 55220	57 57	00 20	•
	 Brass Rebate Kit for 55210, 55220 Satin Brass Satin Nickel Plated 			552RB 552RB		00 12	•
LATCH LOCK ONLY				I	.eç	na	6
	 Brass Latch only Face plate and strike Nickel Plated 60 38 ccs 	22		L3709	60	12	•
	5 0 0 0 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9					YE	AR RANTEE

SASH LOCKS - NIGHT LATCH VERSION

11	CISA
	OION



SASH LOCKS - 5 LEVER "500 KEY DIFFERS"

Item	Description	Faceplate	Throws	Туре	Backset	Finish	Price
5 YEAR GUARANTEE	Technical Features Yellow powder coated steel case 5 brass close gate levers with anti-pick device. Brass Latch, Pull and Twist for on site handing Brass deadbolt with 2 hardened steel anti-saw inserts 2 Plated keys unnumbered Brass face plate and brass plated strike Stainless Steel face plate and strike Stainless Steel face plate and strike-keyed alike Included Box strike, Satin S/S or Polished Brass. Fixing screws for lock and striker.	25 25 25	1 1 1	52765 52765 Keyed Ali 52765K Key bland 02765	57	00 20 20	•

SASH LOCKS - 3 LEVER - HEAVY DUTY "100 KEY DIFFERS"

Item	Description	Faceplate	Throws	Туре	Backset	Finish	Price
YEAR GUARANTEE	Technical Features White powder coated steel case 3 brass close gate levers with anti-pick device. Brass Latch, Pull and Twist for on site handing Brass deadbolt 2 Plated keys unnumbered Brass face plate and brass plated strike Stainless Steel face plate and strike Stainless Steel face plate and strike-keyed alike Included Flat strike, Satin S/S or Polished Brass. Fixing screws for lock and striker.	25 25 25	1 1 1	52763 52763 Keyed Al 52763K Key blan 02765	57	00 20 20 20	•





Technical Features

- Black painted steel case and cover
- Removeable brass faceplate and brass striker
- Reversible brass latch without opening lock.
- Brass double throw deadbolt

Operation

From outside or inside: the latch is operatedby key or handle. Deadbolt by key only

Finishes

- Satin Nickel plated finish code "12"
- Satin Brass finish code "00"

- Strike
- Fixing screws for lock and striker

Certification

Altered: 2

Sep 2014

- This lock is certified according to EN 12209:03
- Security grade 3: Bolt
 - 500 kg side push resistant
 - 400 kg front push resistant
- · Durability grade X
 - 200 000 cycles 120N load ..
 - .. on the latch
- Corrosion Resistance: C
 - High Corrosion Resistant
- Door Mass grade 7
 - up to 100kg doors, max 15N ..max. closing force.



							GUAR	MNIEL
Item	Description	Faceplate	Throws	Туре	Backset	Finish	Price including Cylinder	Price without Cylinder
LATCHING VERSION								
			Sati	n Brass F	inish			
10		22	2	5C110	40	00	•	•
	Latch Version	22	2	5C110	50	00	•	•
T I	 Double throw deadbolt and latch. 	22	2	5C110	60	00	•	•
0	Cylinder 0G300-07	22	2	5C110	70	00	•	•
2	• Strike 06102-13							
				Nickel F				
		22	2	5C110 5C110	40 50	12 12	•	•
		22 22	2	5C110	60	12		
3		22	2	5C110	70	12	•	•
2		22	-	00110	, ,	'-		
	Brass Rebate Kit							
	 Satin Brass 			521RB		00		.
C	 Brass Nickel plated finish 12. 			521RN		12		•
ROLLER BOLT VERSION								
_			Sati	n Brass F	inich			
2		22	2	5C120	40	00	•	•
	Rollerbolt Version	22	2	5C120	50	00	•	•
	Double throw deadbolt and roller.	22	2	5C120	60	00	•	•
N N	Cylinder 0G300-07	22	2	5C120	70	00	•	•
6	• Strike 06149.00.							
	 Include rose set 06012 			n Nickel F			ı	
		22	2	5C120	40	12	•	•
5		22	2	5C120	50	12	•	•
		22	2	5C120	60	12	•	•
		22	2	5C120	70	12	•	•





Technical Features

- Galvanised steel case and cover
- Removeable steel faceplate and steel striker
- Reversible BICONICAL latch
- Non handed change latch without opening lock
- · Brass or nickel plated steel double throw deadbolt
- Pround faceplate and strike upon request

Operation

 From outside or inside: the latch is operatedby key or handle. Deadbolt by key only

Finishes

- Nickel plated finish code "12"
- Brass plated finish code "00"

☞ Included

- Strike
- Fixing screws for lock and striker

Certification

- This lock is certified according to EN 12209:03
- Security grade 3: Bolt
 - 500 kg side push resistant
 - 400 kg front push resistant
- Durability grade X
 - 200 000 cycles 120N load ..
 - .. on the latch
- Corrosion Resistance: C
 - High Corrosion Resistant
- Door Mass grade 7
 - up to 100kg doors, max 15N
 - ..max. closing force.



	1 Initing screws for lock and striker						GUAR	ANTEE
ltem	Description	Faceplate	Throws	Туре	Backset	Finish	Price including Cylinder	Price without Cylinder
LATCHING VERSION			Bras	s Plated	 Finish			
		22	2	5C611	40	00	•	•
		22	2	5C611	50	00	•	•
	Latch Version	22	2	5C611	60	00	•	•
3	 Double throw deadbolt and latch. 	22	2	5C611	70	00	•	•
5	 Cylinder 08010-07 							
0	 Strike 06102-13 		Nick	el Plated	l.			
• 😡 •		22	2	5C611	40	12	•	•
		22	2	5C611	50	12	•	•
10		22	2	5C611	60	12	•	•
		22	2	5C611	70	12	•	•
	Lateb Version for WC Indicator		D	- Distant	- 111.			
,	 Latch Version for WC Indicator Single throw deadbolt and latch. 	22	Bras	SE Plated 5C651	Finish 50	00		
,	 Use with WC Indicator:- 8mm spindle 	22	1	5C651	60	00		e •
	Strike 06102-13	22		el Plated		l)		-
NEW	Ottine 00102 10	22	1	5C651	50	12		•
		22	1	5C651	60	12		•
	Rebate Kit		-					
C	Steel satin brass plated			521BP		00		•
(Satin stainless steel finish "20" 			521SS		20		•
ROLLER BOLT VERSION								
			Bras	s Plated	Finish			
		22	2	5C621	40	00	•	•
	Rollerbolt Version	22	2	5C621	50	00	•	•
T és	 Double throw deadbolt and roller. 	22	2	5C621	60	00	•	•
L III	 Cylinder 08010-07 	22	2	5C621	70	00	•	•
Control of	 Strike 06149.00. 							
	 Include rose set 06012 		Nick	el Plated				
		22	2	5C621	40	12	•	•
		22	2	5C621	50	12	•	•
\$ \$		22	2	5C621	60	12	•	•
,		22	2	5C621	70	12	•	•
							<u> </u>	

MULTIPOINT CYLINDER MORTISE LOCKS - 3 & 5 LOCKING POINTS



Technical features:

- "U" Shaped adjustable faceplate 22 x10mm in satin finished laquered brass, 2600mm long.
 - Upper adjustment 650mm
- lower adjustment 35mm.Zinc plated steel case.

- Reversible nickel plated latch
 Nickel plated DOUBLE THROW deadbolt.

Supplied as standard:

- Striker and fixing screws
- · Without cylinder.
- Instruction sheet

Hand:

0 = Non-handed

	 Nickel plated D0 	OUBLE THROW deadbolt.				
		Description	Code	Backset	Finish	Price w/out Cylinder
	Í	Channel 2600 x 22 x10mm				
	53131	53131 -Top & Bottom - Locking features	Satin Bra	ss Fini	sh	
		Latch-bolt and central dead-bolt.	53131	45	00	•
		Top and bottom extended bolts	53131	50	00	•
	53135	integrally mounted on the face plate	53131	60	00	•
	A .	Including:	Nickel Pla	ted Fir	nish	
	9. F	Central striker 06213-05	53131	45	12	•
		• 2 upper strikers 06292-00 and 06292-01	53131	50	12	•
	-O	• Floor striker 06086-00	53131	60	12	•
CONTRACTOR OF THE PARTY OF THE	el II	Supplied without cylinder				
	l l					
6	H .	53135 -Side locking - Locking features	Satin Bra	ee Fini	eh	
		Latch-bolt and central dead-bolt.	53135	45	00	•
		Top and bottom front dead-bolts operated	53135	50	00	•
		by rods integrally mounted on the faceplate	53135	60	00	•
		Including:	Nickel Pla	ted Fir	nish	
	A THE	Central striker 06213-05	53135	45	12	•
		• 2 lateral strikers 06323-01	53135	50	12	•
B	IL.	Supplied without cylinder	53135	60	12	•
			o .:		١.	
		53137 -5 Locking points - Locking features	Satin Bra 53137	45	1	
		Latch-bolt and central dead-bolt. Top and bettom front dead bolts operated.	53137	50	00	
		 Top and bottom front dead-bolts operated by rods integrally mounted on the faceplate 	53137	60	00	
16		Top and bottom extended bolts	Nickel Pla		l	
	li i	integrally mounted on the face plate	53137	45	12	•
		Including:	53137	50	12	•
		Central striker 06213-05	53137	60	12	•
		2 lateral strikers 06323-01			1	
	NEW	• 2 upper strikers 06292-00 and 06292-01				
		Floor striker 06086-00				
		Supplied without cylinder				
4	53137	1	\			
	5 LOCKING	ROLLER BOLT VERSIONS NEW	7			
	POINTS	ROLLER BOLT VERGIONS				
0		All Above are availbale in Roller Bolt Version				
	*©••1#1	Specify "R" prefix , and state "Roller" on the	e Order			
		No Surcharge for this version.				
	¥	Lead time: Nickel plated finish is made	on deman	d and	lead	
		time is two weeks.				
F170.6						





Technical features:

- · Black painted steel case and cover.
- Brass faceplate and strike
- Double throw deadbolt made of brass.

Supplied as standard:

- Striker
- Fixing screws for lock and striker
- · Cylinder fixing screw
- Rose set

Available finishes:

- Satin nickel plated brass (fin.12)
- Satin brass (fin.00)

Conforms to EN 12209:2003

- Complies with Durability Grade C 50 000 test cycles.
- Complies with Door Mass Grade 7 up to 100 kg door mass: 15N max closing force.

P				Backset	Finish	Cylinder	Cylinder
6 h fl	Single throw deadbolt Strike 07032 Cylinder 0G545-05 Rose set 06012.00 *Available while stocks last	1	52210* 52210*	25 25	00 12	:	:
	Double throw deadbolt Strike 07032 Cylinder 0G545-05 Rose set 06012.00 Satin brass faceplate and strike finish 00. Satin nickel plated finish 12. Brass Rebate Kit Satin Brass Nickel plated finish 12. Metal Weld-on Box for Metal Gates	2 2 2 2 2 2 2 2 2	52310 52310 52310 52310 52310 52310 52310 52310 523RB 523RN 523MBOX	40 40 50 50 60 70 70	00 12 00 12 00 12 00 12 00 12		•

CYLINDER HOOK LOCKS – BRASS AND STEEL VERSIONS



Technical features:

- Zinc plated steel case and cover.
- Brass faceplate and strike (series 45100).
- Steel faceplate and strike (series 45110).
- Passivated laminated steel hook.

Available finishes:

Series 45100

- Satin nickel plated brass (fin.12)
- Satin brass (fin.00)

Series 45110

- Brass plated (fin.00)
- Nickel plated (fin.12)

Supplied as standard:

- Striker,Rose set with screws.
- Fixing screws for lock and striker
- Cylinder fixing screw

45110 Conforms to EN 12209:2003

- Complies with Durability Grade C -50 000 test cycles.
- Complies with Door Mass Grade 8 up to 200 kg door mass: 15N max closing force.

Туре	Description	Code	Backset	Finish	Price including Cylinder	Price without Cylinder
	Brass faceplate and striker Strike 07028.10 Cylinder 0G545-05 Rose set 06012.00 Satin brass faceplate and strike finish "00". Satin nickel plated finish "12". Steel faceplate and striker Strike 07028 Cylinder 0G545-05 Rose set 06012.00 Brass plated faceplate and strike finish "00". Satin nickel plated finish "12". Version with Steel Guide pin	45100 45100 45100 45100 45100 45100 45110 45110 45110 45110 45110	50 60 60	00 12 00 12 00 12 00 12 00 12 00 12 00 12		•

CYLINDER SECURITY LOCK WITH MULTIPLE BOLTS





Technical features:

- Steel faceplate and strike.
- Zinc plated steel case
- Flat reversible nickel plated latch.
- Three DOUBLE throw nickel plated steel bolts.

Operation:

 From outside or inside: the latch is operated by key or handle; the deadbolts are operated by key only.

Supplied as standard:

- Striker
- · Fixing screws for lock and striker
- Cylinder fixing screw.

Available finishes:

· Laquered satin brass plated.

Hand:

0 = Non-handed

Туре	Description		Throws	Code	Backset	Finish	Price including Cylinder	Price without Cylinder
	Latch and multiple bolts Strike 06278-11 Cylinder 0E300-10	Brass plated Nickel plated		52521 52521	60 60	00 12	:	:

SECURITY LOCKS WITH DOUBLE BITTED KEY - 4 THROW DEADBOLT



Technical features:

- Nickel Plated satin steel faceplate and striker.
- Zinc plated steel case.
- Reversible nickel plated latch.
- Nickel plated steel deadbolt.

Operation:

 From outside or inside: the latch is operated by key or handle; the deadbolt is operated by key only.

Supplied as standard:

- Striker
- Fixing screws for lock and striker
- 2 escutcheons: inside item 06143, outside item 06082
- 3 Keys

Hand:

0 = Non-handed

Туре	Description	Key Item	Throws	Code	Backset	Finish	Price	
000	Deadbolt only • Strike 06213	00100.00.1	4	57010	50		•	
	Deadbolt only • Strike 06213 • Drill resistant plates	00101.00.1	4	57014	50		•	
	Latch and deadbolt • Strike 06271	00100.00.1	4	57250	60		•	





Technical features:

- Steel case and striker painted GREY (finish 97).
- Brass latch and deadbolt.
 PVC Knobs.
- Three DOUBLE throw nickel plated steel bolts.

Supplied as standard:

- Striker
- Fixing screws for lock and striker
- Instruction sheet.

Hand:

0 = Non-handed

Available finishes:

• Painted GREY (finish 97) only.

Туре	Description	Cylinder	Code	Backset	Finish	Price
	Night Latch. Cylinder 0G500 Grey colour only (finish 97) Inside knob Dead locking latch with hold-ope	n device.	54315	60	97	•
	Deadbolt only Cylinder 0G500 Grey colour only (finish 97) Inside knob		54340	60	97	•

SECURITY RIM LOCKS WITH MULTIPLE DEADBOLTS - DOUBLE BITTED KEY

Туре	Description	Key	Code	Backset	HAND	Price
	Four throw deadbolt and latch Six levers Anti drill protection Five locking points Includes extension bolts – 06426-01-0 Subsidiary driving mechanism 57190. Includes escutcheons Blank key ref 00125		57175 57175	60 60	1 2	•






Principal Features:

- Rim Lock with latch and dead-bolt.
- Brass latch and deadbolt.
- Suitable for Knobs with 8mm spindle.
- Locks have 12 differs.
- Supplied with 2 keys



				GUA	RANTEE
	Packed in Clear Blister Pack with instructions				
:0. D. H	Brass Plated	P2136	BP		•
	Matt Black	P2136	вм		•
BRASS VICTORIAN DOMED KNOBS WITH ESCUTCHEONS.					
	51mm Brass Knobs for Rim Locks	P472	51	2	
	Packed in Clear Blister Pack with instructions			Y E	AR ARANTEE
	113				



HEAVY DUTY CYLINDER MORTICE LOCKS WITH PANIC FUNCTION





Technical features:

- · Laquered polished brass removable faceplate and striker.
- Zinc plated steel case.Reversible nickel plated silent action deadlocking latch.
- · Nickel plated cut resistant deadbolt, with 25mm protrusion.

 • Anti corrosion galvanised internal
- components.

Available finishes:

• On Request: Satin Stainless steel

Supplied as standard:

- Striker and fixing screws
- · Without cylinder.
- Instruction sheet

Standards:

· Locks with stainless steel faceplate and strike (finish 20) are certified fire-resistant by the American Underwriters Laboratory (UL Listed R14945(N).

Hand:

		_	set	sh sh	
ype	Description	Code	Backset	Finish	Price
	Silent action deadlocking latch bolt only				
	 Supplied with strike 06158-20, without cylinder. 				
	 Suitable for use with panic devices 59711 and 59607 				
	For Panic Funtion external doors.				
	Operation:				
· 1	The latch bolt is operated by handles or cylinder	52755	60	00	•
: (a)	from both sides.	52755	60	20	•
0.04	 The outside handle must be fixed. 				
å.	Classroom door lock with panic funtion.				
E Us	Operation:				
	The latch bolt is operated by handle	52760	60		•
5. 5 7	from both sides.				
	 The outside handle can be activated and 				
	de-activated by cylinder.				
	Uses split spindle 07206				
	Silent action deadlocking latch and 25mm deadbolt.				
	 Supplied with strike 06106-20, without cylinder. 				
	Suitable for use with panic devices 59711 and 59607				
	Entrance doors- Not Panic Function				
	Operation:				
	 The latch bolt is operated by handle or cylinder 	52710	60	20	•
	from either side.				
	 The deadbolt is operated by cylinder from either side. 				
	Panic Funtion doors with Automatic deadbolt.				
	Operation:				
	 Deadbolt automatically locks when door is closed. 	52840	60	20	•
<u></u>	The latch bolt is operated by handle or cylinder				
· THE IT	from either side.				
	 The handle withdraws the latch and deadbolt simultaneously. 				
	The outside handle must be fixed.				
	The databas haridio must be fixed.				
	Hotel Lock with panic function				
	Operation: The state of t	F00.40	00		
ν.	The latch bolt is operated by handle or cylinder from either side.	52842	60		•
	from either side.The handle withdraws the latch and deadbolt				
	simultaneously.				
	The outside handle must be fixed.				
	Optional: Cylinder 08453 and Indicator of occupancy.				
	Classroom door lock with panic funtion.				
	Operation:				
	The latch bolt is operated by handle from either side.	52844	60		•
	- The deadbolt is operated by cylinder from either side.				
	- The inside handle withdraws the latch and deadbolt				
				n II	
	simultaneously. With reversible panic funtion.				

HEAVY DUTY CYLINDER MORTICE LOCKS WITH PANIC FUNCTION



Туре	Description	Code	Backset	Finish	Price
	 Supplied with strike 06159-20, without cylinder. Suitable for use with panic devices 59711 and 59607 Deadbolt only with panic function Operation: The deadbolt is operated by handle or cylinderfrom either side. The outside handle must be fixed. 	52871	60		•
	Optional				
	• Rebate Kit for 52755, 52840 etc	528RB	00	00	•
	Indicator of occupancy for 52840	06146	00		•
	• Split follower for 52760, 52844	07206	01		•
ADJUSTABLE ROLLER LATCH					
Туре	Description	Code		Finish	Price
	SEE PAGE 00.12				



