



# WASHROOM SYSTEMS

Accessories, Grab Rails & Taps Guide

Product Guide 2013





## WASHROOM ACCESSORIES

The use of Stainless Steel as the material of first choice for products in public and semi-public washrooms has become today's standard for good reasons. This material is robust and, easy to maintain, and therefore is very durable which makes the products economical over the lifetime of the building. Sanitary fixtures that inhibit vandalism and are easy to clean help building operators to keep service and maintenance costs to a minimum.

Practical experience shows that using high-quality materials reduces the staining of products that helps to maintain the appearance of heavily used washrooms. Wash stations and accessories take on a hygienic atmosphere. Thanks to its durable and hygienic characteristics, Stainless Steel provides clean and safe products for public washrooms.

## Index

<b>Washroom Accessories .....</b>	<b>1 - 14</b>
Stratos .....	1 - 4
Stratos Recessed .....	5 - 6
Handsfree .....	7 - 8
Chronos .....	9 - 11
Mirrors & Fold Down Seat .....	12
Rodan .....	13
Rodan Recessed .....	14
<b>Bathroom Accessories .....</b>	<b>15 - 16</b>
<b>Self Closing Taps .....</b>	<b>17 - 18</b>
<b>Grab Rails .....</b>	<b>19</b>

\* NOTE: All dimensions are shown in mm.



## Stratos - Smart Hygiene Solutions

The Stratos Designer Range has a unique arched design which compliments any washroom, giving the space a coordinated and elegant appearance.



### Features

- Designed for heavy duty applications
- Manufactured from Grade 18/10 Stainless Steel
- Easy to clean - the STRATOS range of accessories is surface treated with InoxPlus Technology - which visibly reduces fingerprints.
- Hygienic & vandal resistant



### What is InoxPlus Technology:

Franke has created the first stainless-steel surface treatment to use nanotechnology to provide a guaranteed long-lasting, clean finish and appearance.

### Properties:

- reduced visibility of fingerprints
- easy to clean
- temperature-resistant 25°C to +80°C
- strong adhesion to the surface
- high abrasion resistance
- resistant against most cleaners
- resistant against acids and alkaline fluids used in household cleaners















IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Soap Dispenser STRX618</b>	<p>Surface mounted soap dispenser; manufactured from 18/10 Stainless Steel; material thickness 1,2/1,5mm; surface satin finish. The soap dispenser incorporates a replaceable and refillable 1 litre container which is suitable for liquid and antiseptic soaps and lotions; cylinder lock with Franke standard key, includes mounting kit.</p>	
	<b>STRX618</b>	100 X 134 X 304	359705
 	<b>Double Toilet Roll Holder STRX672</b>	<p><b>*Non-stock item with 8 week lead time*</b></p> <p>Toilet roll holder with spindle system. Wall mounting. Manufactured from 18/10 Stainless Steel; surface satin finish. Thickness 1,2/1,5mm. Cylinder lock with Franke standard key; for 2 rolls maximum 108 mm diameter ; the reserve roll is not visible dropping automatically into the dispensing position after finishing of the first roll; includes mounting kit.</p>	
	<b>STRX672</b>	156 X 141 X 303	359716
 	<b>Paper Towel Dispenser STRX600</b>	<p>Surface mounted paper towel dispenser; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5mm; cylinder lock with Franke standard key; the paper towel dispenser has a capacity of 300 - 400 towels depending on the type and folding</p> <p>Suitable paper towel sizes (mm):  Min 240 x 85  Max 250 x 105  Ideal 250 x 95</p>	
	<b>STRX600</b>	300 X 134 X 305	359700
 	<b>Sanitary Towel Disposal Bin STRX611</b>	<p>Surface mounted sanitary towel disposal bin; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5mm; the disposal bin incorporates a plastic container with a 3,8 litre capacity for the disposal of sanitary towels and minor waste and has a Stainless Steel continuous piano hinge; includes mounting kit.</p>	
	<b>STRX611</b>	205 x 134 x 305	359740

IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
-------	--------------	------------------------	--------------






Front view dimensions: 396 (width), 305 (height).  
Side view dimensions: 178 (top section height), 47 (bottom section height), 134 (depth).  
Top view dimensions: 195 (left section width), 99 (right section width), 196 (total width).


### Paper Towel and Soap Dispenser Combination STRX601

**\*Non-stock item with 8 week lead time\***

Surface mounted paper towel and soap dispenser combination; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5mm; the paper towel dispenser has a capacity of 300 - 400 towels depending on the type and folding; soap dispenser incorporates a replaceable 1 litre container; cylinder lock with Franke standard key; includes mounting kit.

STRX601	396 x 134 x 305	359770
---------	-----------------	--------






Front view dimensions: 396 (width), 521 (height).  
Side view dimensions: 475 (height), 270 (depth).  
Top view dimensions: 335 (width).


### Waste Bin STRX607

**\*Non-stock item with 8 week lead time\***

Surface mounted waste bin; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5mm; cylinder lock with Franke standard key; the container has an approximately 45 litre - capacity; includes mounting kit.

STRX607	396 x 270 x 521	359731
---------	-----------------	--------





Front view dimensions: 300 (width), 520 (height).  
Side view dimensions: 475 (height), 270 (depth).  
Top view dimensions: 239 (width).

### Waste Bin STRX605

Surface mounted waste bin; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5mm, with Franke cylinder lock and Franke standard key; the container has an approximately 34 litre capacity; includes mounting kit.

STRX605	300 x 270 x 520	359730
---------	-----------------	--------

# Stratos Recessed

STRATOS  
RECESSED

IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Recessed Soap Dispenser STRX618E</b>  <b>*Non-stock item with 8 week lead time*</b>  Recess soap dispenser; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5 mm; cylinder lock with Franke standard key; the soap dispenser incorporates a replacable 1 litre -container which is suitable for liquid and antiseptic soaps and lotions; includes mounting kit.  Recessed 90mm into wall	127 x 147 x 632	359706
 	<b>Recessed Single Toilet Roll Holder with Spindle STRX673E</b>  Recessed toilet roll holder; manufactured in 18/10 Stainless Steel; surface satin finish. Material thickness 1,2/1,5mm; for 1 roll with maximum diameter of 110mm; includes mounting kit.  Recessed 90mm into wall.	153 x 153 x 65	359719
 	<b>Recessed Double Toilet Roll Holder with Spindle STRX672E</b>  Toilet roll holder with spindle system. Recessed mounting. Manufactured from 18/10 Stainless Steel; surface satin finish. Thickness 1,2/1,5mm. Cylinder lock with Franke standard key; for rolls maximum 108mm diameter, the reserve roll is not visible dropping automatically into the dispensing position after finishing of the first roll; includes mounting kit.  Recessed 90mm into wall.	183 x 142 x 331	359721
 	<b>Recessed Combination Paper Towel and Soap STRX601E</b>  <b>*Non-stock item with 8 week lead time*</b>  Recessed paper towel and soap dispenser combination; manufactured from 18/10 Stainless Steel; surface satin finish; material thickness 1,2/1,5mm; cylinder lock with Franke standard key; soap dispenser with 1 litre - container; the paper towel dispenser has a capacity of 300 - 400 towels depending on the type and folding; includes mounting kit.  Recessed 90mm into wall.	424 x 147 x 632	359771



06



### Hands Free

Franke always strive to find the ultimate hygiene solutions without compromising quality and durability. The hands free accessories offer a hygienic solution for usage in heavily frequented washrooms, wards and rest rooms. The range includes a sensor operated: soap dispenser, paper towel dispenser and hand dryers

#### Features

- Infra-Red Sensor Operated
- Optimum Sanitary Hygiene
- Hygienic Grade 304 Stainless Steel
- Resource Efficient
- Vandalism Protection





IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
-------	--------------	------------------------	--------------



### Soap Dispenser HF950SD

Wall mounted sensor operated soap dispenser manufactured from (18/10) Stainless Steel; satin finish; material thickness 1.0mm.

- Dispenses one drop of soap on demand
- Capacity of 1 litre
- Soap level sight glass
- Battery operated with low power indicator


**HF950SD**

115x 110 x 270

359966



HANDS FREE



### Electric Paper Towel Dispenser CHR630


Electronic paper towel dispenser for wall mounting; made of Stainless Steel; surface satin finished; material thickness 0.8mm; deep drawn cover with cylinder lock and standard Franke key; infrared sensor activity for non-touch operation; integrated tear-off edge; four standard D 1.5 V batteries; maintenance free and easy paper roll change mechanism; for rolls with maximum width 210mm and maximum diameter 220mm; paper length adjustable to 200, 250 and 300mm.

Includes Stainless Steel screws and dowels.

**CHR630**

290 x 225 x 390

359702



### Hand Dryer HF2400HD

Wall mounted sensor operated hand dryer manufactured from (18/10) Stainless Steel; satin finish; material thickness 1.2mm.

- Automatic cut-off
- Warm air output of 28m/s at 65°C
- Adjustable sensitivity from 100 to 300mm
- Vandal resistant lock, screws and key wrench

#### Electrical specification:

Connection voltage: 230 V, 50Hz  
Watts: 2.2/2.4 kW  
Motor : 200W Motor with 5500 RPM

**HF2400HD**


280 x 207 x 245

359961



### Warm Air Hand Dryer Jetstream Airtronic

Wall mounted sensor operated hand dryer manufactured from Grade 304 1,2mm Stainless Steel; brushed finish.



- Automatic cut-off
- Warm air output of 90m/s at 55°C
- Adjustable sensitivity from 50 to 250mm
- Vandal resistant lock, screws and key wrench

Connection voltage: 230 V, 50Hz  
Total Power: 1000 kW  
Motor: 500W motor with 29000 RPM

**JETSTREAM  
AIRTRONIC**

245 x 140 x 167

359989



IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Soap Dispenser SD80</b>	Manufactured from chromium plated brass and incorporates a replaceable 1 litre polyethylene container for use with liquid soap. The dispenser is for basin or counter top installations and can be filled from above if required. Installation hole diameter required is 22mm.	
	<b>SD80</b>	Ø 44 x 85 x 144	359802
 	<b>Soap Dispenser BS618</b>	Wall mounted liquid soap dispenser manufactured from 18/10 Stainless Steel with a deep drawn lid; welded body and cylinder lock with standard Franke key. The dispenser is for wall mounting and incorporates a 1 litre polyethylene container which is suitable for liquid and antiseptic soaps and lotions - satin finish. Screws and dowels are included.	
	<b>BS618</b>	200 x 130 x 85	359800
	Optional Extra: Wall Trim Band for recessed option		
 	<b>Single Soap Dish BS646/7</b>	Wall mounted shelf or soap tray manufactured from 18/10 Stainless Steel with a deep drawn ribbed tray - satin finish.	
	<b>BS646</b>	125 x 90 x 22 - with drain holes	359863
	<b>BS647</b>	125 x 90 x 22 - without drain holes	359864
 	<b>Double Soap Dish BS648</b>	Wall mounted shelf or soap tray manufactured from 18/10 Stainless Steel with a deep drawn ribbed tray - satin finish. Screws and rawl plugs are included.	
	<b>BS648</b>	195 x 96 x 77 - with drain holes	359865
 	<b>Single Toilet Roll Holder BS677</b>	Wall mounted toilet paper roll holder with lid manufactured from 0.9mm thick 18/10 Stainless Steel - satin finish. The dispenser takes one roll with a maximum 130mm Ø. Screws and rawl plugs are included.	
		Paper size 130mm Ø maximum	
	<b>BS677</b>	145 x 25 x 130	359816



















IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Single Toilet Roll Holder CHR675</b> <p>Wall mounted toilet paper roll holder manufactured from Stainless Steel 18/10, thickness 3mm; with a thief resistant controlled delivery spindle manufactured from Stainless Steel 18/10; Franke standard lock and key; surface satin finish. The dispenser takes one roll with a standard size 120mm ø. Screws and dowels are included.</p> <p>Paper size 130mm ø maximum</p>	150 x 130 x 100	359814
 	<b>Double Toilet Roll Holder CHR676</b> <p>Wall mounted toilet paper roll holder manufactured from 18/10 Stainless Steel; satin finish; thickness 3mm; with a controlled delivery spindle; Franke standard lock and key. The dispenser takes two rolls with a maximum 120mm Ø each. Screws and dowels are included.</p>	335 x 128 x 100	359815
 	<b>Jumbo Toilet Roll Holder CHR670</b> <p>Wall mounted toilet roll holder; manufactured from Stainless Steel 18/10; material thickness 0.9mm; surface work finish; for 1 large roll with maximum 350mm diameter; Allan key lock. Screws and dowels are included.</p>	369ø x 108	359807
 	<b>Double Toilet Roll Holder CHR672</b> <p>Wall mounted toilet paper roll holder manufactured from 0.8mm thick 18/10 Stainless Steel with a single piece pressed lid; welded container and cylinder lock with a Franke standard key -satin finish. The dispenser takes two rolls with maximum 108mm Ø with the reserve roll not being visible until it is required, when it drops automatically into the dispensing position. Screws and rawl plugs are included.</p>	141 x 127 x 295	359808
 	<b>Paper Towel Dispenser BS600P</b> <p>Wall mounted paper towel dispenser manufactured from 18/10 Stainless Steel with a single piece deep drawn lid; welded container; Stainless Steel continuous piano hinge and cylinder lock with Franke standard key - satin finish. The paper towel dispenser has capacity of 500 - 800 towels depending on the type and folding and is fitted with an anti-jamming device; recommended paper: two part Z-convolution. Screws and dowels are included.</p> <p>Suitable paper towel sizes (mm): Min 240x75; Max 270x95; Ideal 250x95</p>	290 x 115 x 438	359790

IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Waste Container with Lid BS603</b> Wall mounted waste container manufactured from 18/10 Stainless Steel with a material thickness of 0.8mm; fully welded body; Stainless Steel lid with piano hinge. The container is for wall mounting and has a capacity of 30 litres - satin finish. Screws and rawl plugs are included.	<b>BS603</b> 290 x 209 x 611	359820
 	<b>Waste Container BS605</b> Wall mounted waste container manufactured from 18/10 Stainless Steel with a material thickness of 0.9mm with seamed welded upper and lower edges. The container is for wall mounting and has a 26 litre capacity - satin finish. Screws and dowels are included.	<b>BS605</b> 362 x 175 x 460	359822
 	<b>Perforated Waste Container BS610</b> *Non-stock item with 8 week lead time* Wall mounted waste container manufactured from 18/10 Stainless Steel; with a material thickness of 1,25mm; with a 180 degree radius front and perforated fascia pattern. The container has a capacity of 23 litres. Screws and rawl plugs are included.	<b>BS610</b> 410 x 222 x 380	359825
 	<b>Sanitary Towel Disposal Bin BS611V</b> Wall mounted sanitary towel disposal bin manufactured from 18/10 Stainless Steel with a deep drawn lid welded container and Stainless Steel continuous piano hinge - satin finish. The disposal bin incorporates a plastic container with a 6 litre capacity and is for the disposal of sanitary towels and minor waste. Screws and rawl plugs are included.	<b>BS611V</b> 200 x 128 x 295	359830

## Mirrors & Fold Down Seat










IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
<b>Stainless Steel Mirrors CHRH401</b>			
		Mirror manufactured 18/10 Stainless Steel, flat (1mm), high polished 4 drillings.	
<b>CHRH401</b>		400 x 1 x 300	359900
<b>Stainless Steel Mirrors CHRH601</b>			
		Mirror manufactured 18/10 Stainless Steel, flat (1mm), high polished 4 drillings.	
<b>CHRH601</b>		600 x 1 x 500	359902
<b>Stainless Steel Mirrors M600HD</b>			
		Heavy duty mirror. Manufactured from 8mm thick 18/10 Stainless Steel with a reflective polished surface and concealed thief resistant fixings.	
		Screws and rawl plugs are included.	
<b>M600HD</b>		600 x 8 x 500	359922
<b>Fold Down Seat CNTX400A</b>			
		Fold Down seat manufactured from grade 304 Stainless Steel. White battens made from polyethylene; round corners.	
			
<b>CNTX400A</b>		484 x 526	357550
<b>Accessories Spare Parts</b>			
TYPE / MODEL	PRODUCT CODE		
<b>Soap Dispenser Nozzle BS618/619</b>	<b>359803</b>		
<b>Universal Lock</b>	<b>359806</b>		
<b>Camlock CHR676</b>	<b>359918</b>		
<b>Camlock Stainless Steel</b>	<b>359811</b>		
<b>Soap Bowl - Plastic BS618/619</b>	<b>359964</b>		
<b>Soap Bowl Lid BS618/619</b>	<b>359965</b>		























IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Soap Dispenser For Wall Mounting RODX619</b> Soap dispenser for wall mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 1 litre soap tank, push button on front, incl. Stainless Steel screws and dowels.	RODX619 200 x 85 x 140	359981
 	<b>Paper Towel Dispenser For Wall Mounting RODX600</b> Paper towel dispenser for wall mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, inspection windows on sides, loading capacity 500 - 800 pcs. of paper depending on convolution, incl. Stainless Steel screws and dowels.	RODX600 275 x 112 x 355	359985
 	<b>Double Toilet Roll Holder With Spindle System For Wall Mounting RODX672</b> Double toilet roll holder with spindle system for wall mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, with spindles, reserve roll not visible, incl. Stainless Steel screws and dowels	RODX672 144 x 138 x 301	359987
 	<b>Waste Bin For Wall Mounting RODX605</b> Waste bin for wall mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, cylinder lock with Franke standard key; rounded edges, approx. 23 litre capacity, mounting either with mounting bracket or directly onto the wall, incl. Stainless Steel screws and dowels.	RODX605 355 x 168 x 460	359983
 	<b>Paper Towel Dispenser, Waste Bin Combination RODX602</b> Combination paper towel dispenser/waste bin for wall mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity 500 - 800 paper towels depending on brand and folding, waste bin with approx. 23 litre capacity, incl. Stainless Steel screws and dowels.	RODX602 411 x 171 x 1148	359979



IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
	<b>Soap Dispenser For Recessed Mounting RODX619E</b> Soap dispenser for recessed mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, suitable for liquid soaps and lotions, 1 litre soap tank, push button on front, incl. Stainless Steel screws and dowels.		<b>RODX619E</b> 241 x 86 x 243 359982
	<b>Paper Towel Dispenser For Recessed Mounting RODX600E</b> Paper towel dispenser for recessed mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity 500 - 800 paper towels depending on convolution, incl. Stainless Steel screws and dowels.		<b>RODX600E</b> 324 x 112 x 513 359986
	<b>Double Toilet Roll Holder With Spindle System For Recessed Mounting RODX672E</b> Double toilet roll holder with spindle system for recessed mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, for 2 rolls with max. Ø 120 mm, second roll will be released after consumption of first roll, reserve roll not visible, incl. Stainless Steel screws and dowels.		<b>RODX672E</b> 184 x 341 x 138 359988
	<b>Waste Bin For Recessed Mounting RODX605E</b> Waste bin for recessed mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, rounded edges, cylinder lock with Franke standard key, approx. 23 liter capacity, mounting with in-wall frame, incl. Stainless Steel screws and dowels.		<b>RODX605E</b> 408 x 169 x 690 359984
	<b>Paper Towel Dispenser, Waste Bin Combination RODX602E</b> Paper towel dispenser - waste bin combination for recessed mounting, Stainless Steel, surface satin finished, material thickness 0.8 mm, folded front cover, cylinder lock with Franke standard key, loading capacity 500 - 800 pcs. of paper depending on convolution, waste bin with approx. 23 liter capacity, incl. Stainless Steel screws and dowels.		<b>RODX602E</b> 408 x 169 x 1145 359980

# Bathroom Accessories





















IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Single Towel Rail BHM9P</b> Polished Stainless Steel <b>BHM9P</b>	600 x 55	359933
 	<b>Single Towel Rail BHM10P</b> Polished Stainless Steel <b>BHM10P</b>	900 x 55	359934
 	<b>Double Towel Rail BHM12P</b> Polished Stainless Steel <b>BHM12P</b>	900 x 125	359936
 	<b>Towel Ring BHM18P</b> Polished Stainless Steel <b>BHM18P</b>	ø 203	359937
 	<b>Robe Hook with Rubber Stop BHM8P</b> Polished Stainless Steel <b>BHM8P</b>	68 x 40	359945

IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>Toilet Roll Holder BHM13P</b> Polished Stainless Steel <b>BHM13P</b>	145 x 75	359941
 	<b>Spare Toilet Roll Holder BHM14P</b> Polished Stainless Steel <b>BHM14P</b>	75 x 45	359942
 	<b>Single Arm Soap Rack BHM5P</b> Polished Stainless Steel <b>BHM5P</b>	110 x 114	359943
 	<b>Double Arm Soap Rack BHM6P</b> Polished Stainless Steel <b>BHM6P</b>	163 x 100	359944
 	<b>Toilet Brush Holder BS686</b> Floor standing or wall mounted toilet brush holder manufactured from 0.9mm thick Stainless Steel - polished finish. Includes a nylon brush. Screws and rawl plugs are included. <b>BS686</b>	235 x 135 Ø	359850

## Self Closing Taps




Complementing the Franke range of accessories, a new range of self closing/sensor operated basin taps and mixers have been added.

The taps and mixers are of a heavy duty design to improve hygiene and decrease water consumption in public ablutions.

The range comprises of an electronic sensor operated mixer and self closing taps and mixers.

IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
-------	--------------	------------------------	--------------



### Protronic-S AQUA130

PROTRONIC-S mains-independent, opto-electronically-controlled washbasin mixer DN15 with theft-proof aerator with integrated flow rate regulator.


Wash basin mixer with battery operation

#### Technical specifications

Minimum flow pressure:	1.0 bar
Calculation flow rate:	DW 0,07 l/s, DWW 0,07 l/s
Volumetric flow:	0,1 l/s at a flow pressure of 3 bar
Type of protection	IP 65

AQUA130

359746



### AQUAMIX-C Self-Closing Hot/Cold Mixer AQUA202

For wash systems, as a basin mixer with aerator with integrated flow controller. For connecting to the hot and cold water supply. Self-closing mixing cartridge, piston-free design, with automatic and backlash-free closure. Adjustable flow duration. With finely adjustable and twist-proof temperature stop. Full metal construction, polished chromium-plated brass. Optionally with connecting hoses or connecting pipes, connecting pieces with integrated non-return valves and dirt strainers.


#### Technical specifications

Minimum flow pressure:	1.0 bar
Calculation flow rate:	DW 0.07 l/s; DWW 0.07 l/s
Volumetric flow:	0.10 l/s at a flow pressure of 3 bar
Flow time:	1-15 adjustable

Self-closing single mixer

AQUA202

359748



### AQUALINE-C Self-Closing Pillar Tap AQUA203

Noise group I, for wash systems, with aerator and integrated flow controller. Optionally for connecting to cold water or premixed warm water. Self-closing functional cartridge, piston-free design, with automatic and backlash-free closure. Adjustable flow duration. Full metal construction, with twist-proof operating element, polished chromium-plated brass.








#### Technical specifications

Minimum flow pressure:	1.0 bar
Calculation flow rate:	0.10 l/s
Volumetric flow:	0.10 l/s at a flow pressure of 3 bar
Flow time:	1-15 adjustable
Sound insulation:	Noise group I

Self-closing pillar tap

AQUA203

359745







IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
 	<b>AQUAMIX-S Self-Closing Hot/Cold Mixer AQUA200</b>	<p>For wash systems, as a basin mixer with aerator with integrated flow controller. For connecting to the hot and cold water supply. Self-closing mixing cartridge, piston-free design, with automatic and backlash-free closure. Adjustable flow duration. With finely adjustable and twist-proof temperature stop. Full metal construction, polished chromium-plated brass. Optionally with connecting hoses or connecting pipes, connecting pieces with integrated non-return valves and dirt strainers.</p> <p><b>Technical specifications</b></p> <p>Minimum flow pressure: 1.0 bar            Calculation flow rate: DW 0.07 l/s; DWW 0.07 l/s            Volumetric flow: 0.10 l/s at a flow pressure of 3 bar            Flow time: 1–15 adjustable</p> <p>Self-closing single mixer</p>	359749
 	<b>AQUALINE-S Self-Closing Pillar Tap AQUA201</b>	<p>Noise group I, for wash systems, with aerator and flow straightener. Optionally for connecting to cold water or pre-mixed warm water. Self-closing functional cartridge, piston-free design, with automatic and backlash-free closure. Adjustable flow duration. Full metal construction, polished chromium-plated brass.</p> <p><b>Technical specifications</b></p> <p>Minimum flow pressure: 1.0 bar            Calculation flow rate: 0.10 l/s            Volumetric flow: 0.10 l/s at a flow pressure of 3 bar            Flow time: 1–15 adjustable            Sound insulation: Noise group I</p> <p>Self-closing pillar tap</p>	359744
 	<b>AQUALINE-S Self-Closing Bib Tap AQUA205</b>	<p>Noise group I, for wash systems, with angled outlet and aerator with flow straightener. Optionally for connecting to cold water or pre-mixed warm water. Self-closing functional cartridge, piston-free design, with automatic and backlash-free closure. Adjustable flow duration. Full metal construction, polished chromium-plated brass.</p> <p><b>Technical specifications</b></p> <p>Minimum flow pressure: 1.0 bar            Calculation flow rate: 0.10 l/s            Volumetric flow: 0.10 l/s at a flow pressure of 3 bar            Flow time: 1–'96 15 s adjustable            Sound insulation: Noise group I</p> <p>Self-closing bib tap</p>	359743
 	<b>AQUAJET-Slimline AQUA750</b>	<p>AQUAJET-Slimline shower head DN 15 with plastic jet face with calcification system and pluggable connection spigot. Shower head housing with anti-twist feature. Polished chromium-plated brass.</p> <p>6 litre per minute flow rate</p>	359747

## Grab Rails



Franke CONTINA grab rails offer effective solutions for use in private homes and the public, clinical and care sectors.

Grab rail with FFG-surface (Franke Fine Grip) to prevent slipping with an ergonomic, comfortable diameter of about 32mm.

IMAGE	TYPE / MODEL	DIMENSIONS (L X D X H)	PRODUCT CODE
<b>Straight</b>			
	Grab rail with FFG-surface (Franke Fine Grip) manufactured from 18/10 Stainless Steel. Diameter 31,8mm; certified. Screws and dowels are included.		
	CNTX300	300 x 95	359869
	CNTX450	450 x 95	359870
	CNTX550	550 x 95	359871
	CNTX600	600 x 95	359872
	CNTX650	650 x 95	359873
	CNTX750	750 x 95	359874
<b>Side Bar</b>			
	Grab rail with FFG-surface (Franke Fine Grip) against slipping with an ergonomical, comfortable diameter of about 32mm. Mounting plates are applied for easy mounting. Covers in 18/10 Stainless Steel. Screws and dowels are included, certified.		
	CNTX40L	850 x 127 x 127	359881
	CNTX40R	850 x 127 x 127	359882
	CNTX41L	500 x 127 x 127	359883
	CNTX41R	500 x 127 x 127	359884
<b>Angle Bar 90 Degree CNTX21</b>			
	Grab rail with FFG-surface (Franke Fine Grip) against slipping with an ergonomical, comfortable diameter of about 32 mm. Mounting plates are applied for easy mounting. Covers in 18/10 Stainless Steel. Screws and dowels are included, certified. Horizontal - vertical		
	CNTX21	415 x 95 x 415	359880
<b>Paraplegic CNTXPAR</b>			
	Grab rail with FFG-surface (Franke Fine Grip).		
	CNTXPAR	300 x 96 x 300	359885
<b>Cistern Back Rail CNTXBR</b>			
	Grab rail with FFG-surface (Franke Fine Grip) manufactured from 18/10 Stainless Steel. Diameter 32mm; certified. Screws and dowels are included.		
	CNTXBR	750 x 260	359912
<b>Angle Bar CNTX700A</b>			
	Grab rail with FFG-surface (Franke Fine Grip) manufactured from 18/10 Stainless Steel. Diameter 31,8mm; certified. Screws and dowels are included.		
	CNTX700A	618 x 95 x 256	359877

## FRANKE KITCHEN SYSTEMS (PTY) LTD

### CALL CENTRE

Tel 0861 372 653

Fax +27 31 450 6302

[enquiry.fsa@franke.com](mailto:enquiry.fsa@franke.com)

[www.franke.co.za](http://www.franke.co.za)

### DURBAN

1194 South Coast Road,

Mobeni, Durban, 4092.

South Africa

Tel +27 31 450 6300

Fax +27 31 450 6303

### GAUTENG

77 Roan Crescent,

Sage Corporate Park North,

Old Johannesburg Road,

Midrand, 1682

South Africa

### CAPE TOWN

Unit 29, Gold Street,

Northgate Business Park, Northgate Estate,

Cape Town, 7405

South Africa

### DISCLAIMER

The information and data supplied in this brochure is based on information believed to be reliable, however it is not binding and inaccuracies may occur. Franke reserves the right to change specifications and design at any time without notice.

© 2012 by Franke Kitchen Systems (Pty) Ltd. All rights reserved under the Copyright Act of 1987 with amendments. Reproduction of any of the content, full or partial, is allowed only with the prior written approval of Franke Kitchen Systems (Pty) Ltd. No reasonable requests will be refused provided conditions as laid out are met.

All information provided in this brochure is for informational purposes only. All information, text, technical drawings and images are the exclusive property of Franke. The content herein may not be reproduced in whole or part. Any use of the content without written permission from Franke is prohibited.



WASHROOM  
SYSTEMS