



PVC TRIMS


All PVC Trims are available in 2.5m lengths unless otherwise specified.

PVC RETRO-FIT STAIR NOSING

CODE	SIZE (Width x Depth)	DESCRIPTION
PRN450	45mm x 30mm	PVC Retro-Fit Stair Nosing

The M•Trim PVC Retro-Fit Stair Nosing is an economical retro-fit PVC stair nosing used on vinyl, wood and screed stairs.


Applied using a PVC contact adhesive or silicone adhesive. Available in a few selected colours: buff, brown, black and dark grey. Other colours from the M•Trim colour chart can be ordered for a minimum quantity of 500 metres.




PVC VINYL SKIRTING

CODE	SIZE (Depth)	DESCRIPTION
PVS020	2mm	PVC Vinyl Skirting

M•Trim PVC flexible skirting is available in 3m, 15m and 50m lengths. Available in a few selected colours: beige and light grey. The skirting is used against the wall and is designed to accept vinyls from 2mm thick upwards. The PVC vinyl skirting is glued to the wall using contact adhesive, PVC glue or silicone adhesive, ready to accept the vinyl. Used in hospitals, canteens, shopping centres and wherever the vinyl goes up the wall.






igoplus


PVC CARPET SKIRTING + CORNER PIECES

CODE	SIZE (Depth)	DESCRIPTION
PCS080	8mm	PVC Carpet Skirting
PCSIC		Internal Corner for PVC Carpet Skirting
PCSEC		External Corner for PVC Carpet Skirting
PCSEP		End Piece for PVC Carpet Skirting

M•Trim PVC Carpet Skirting is available in 3m lengths with a self adhesive strip for the carpet to stick to. Available in a few selected colours: white, buff, brown, black, dove grey and tan. The skirting comes with both internal and external corners as well as an end piece. The M•Trim PVC skirting is used in hotels, offices, department stores, rooms, and is used with stickdown carpeting. A minimum of 500 lengths can be ordered in our other standard colours and matching corners and end pieces will be made.

M•Trim PVC Carpet skirting is an economical solution to wall to wall carpeting used in the domestic and commercial environment.







Errors and omissions excepted

FLOORING CATALOGUE 2008.indd 4 7/21/08 8:15:52 AM

M·TCIM • • • • M·TCIM • • • • M·TCIM • • • • M·TCIM • • • •


(





ANODISED COLOUR CHART

Powder coat finishes are available on request for most of the aluminium trims.











5









Anodised colours are all anodised from 10 to 15 micron thick on aluminium. Anodised surfaces are sensitive to alkaline building materials, such as tile grout. If grout is allowed to come into contact with an anodised surface for an extended period of time the coating will become irrepairably damaged. Either remove grout immediately with sponge and water or protect anodised surface before fitting using masking tape.

Please note that the colour representation in this catalogue is an approximation and is as close as the printing process will allow. Kirk Marketing does not in any way guarantee that the colours in this catalogue are an exact match to the finished product.

Kirk Marketing reserves the right in its absolute discretion to vary any specification or design, and to supply products which are in our sole opinion, equivalent to those being offered to the purchaser.

Errors and omissions excented




ALUMINIUM TRIMS

Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM STRAIGHT EDGE TRIM

CODE	SIZE (Depth)	DESCRIPTION
ASE030	3mm	Aluminium Straight Edge Trim (2-3mm vinyl/3mm screed)
ASE060	6mm	Aluminium Straight Edge Trim (6mm carpet/screed)

M. Trim Aluminium Straight Edge Trim 3mm and 6mm is used to protect the edge of carpets, vinyls or screeds. It is mainly used against stick down carpet. Available in the anodised colours.

















ALUMINIUM FORMABLE STRAIGHT EDGE TRIM

CODE	SIZE (Depth)	DESCRIPTION
AFE030	3mm	Aluminium Formable Straight Edge Trim (2-3mm vinyl/3mm screed)
AFE060	6mm	Aluminium Formable Straight Edge Trim (6mm carpet/screed)


M•Trim Aluminium Formable Straight Edge Trim 3mm and 6mm is used to protect the edge of carpets, vinyls or screeds. Its added advantage is that it curves and gives designers more flexibility on their flooring design. It is used against stickdown carpet. Anodised colours are not advised for formable trims, however, on request we are able to anodise required lengths.




1 Depth

CODE	SIZE (Depth)	DESCRIPTION
AFE080	8mm	Aluminium Formable Straight Edge Trim (8mm carpet/wood)
AFE090	9mm	Aluminium Formable Straight Edge Trim (9mm carpet/wood)
AFE100	10mm	Aluminium Formable Straight Edge Trim (10mm carpet/wood)
AFE120	12mm	Aluminium Formable Straight Edge Trim (12mm carpet/wood)

M.Trim Aluminum Formable Straight Edge 8mm to 12mm is used to protect the edge of carpet, wood floor or screeds. Its added advantage is that it curves and gives designers more flexibility on their flooring design against stickdown carpet and can be used as an edge against stretch carpet as long as grippers are used in conjunction with it. Anodised colours are not advised for formable trims, however, on request we are able to anodise required lengths.




lacktriangle



ALUMINIUM ELITE FORMABLE STRAIGHT EDGE TRIM (5mm Wide)

CODE	SIZE (Depth)	DESCRIPTION
AEFE100	10mm	Aluminium Elite Formable Straight Edge Trim (7 - 10mm carpet/wood)

M. Trim Elite Aluminium Formable Straight Edge Trim is the same as the Aluminium Straight Edge except it has a 5mm wide top section on the trim, showing a larger aluminium edge. M•Trim Elite Aluminium Formable Straight Edge Trim can be shaped into curves by using hand pressure. Once the desired form has been achieved the trim is fixed using concrete nails or screws. It is used against carpets, laminate, and screed floors. It can be used against stickdown carpet and can be used as an edge against stretch carpet as long as grippers are used in conjunction with it. Anodised colours are not advised for formable trims, however, on request we are able to anodise required lengths.



FLOORING CATALOGUE 2008 indd 6 7/21/08 8:16:02 AM



ALUMINIUM CAPPING TRIMS

Aluminium Trims are available in 2.5m lengths unless otherwise specified.

30 mm ALUMINIUM CAPPING STRIP (Dividing Strip) + Base

CODE	SIZE (Width)	DESCRIPTION
ACS300	30mm	Aluminium Capping Strip


M•Trim Aluminium Capping Strip with a 30mm wide cover can be used as a dividing strip between wood and laminate floors, protecting the edges of the different floor surfaces as well as acting as a movement joint cover allowing for the movement in laminate and wood floors. The extra width of the capping strip allows for larger movement sometimes experienced in the wood and laminate flooring.

The Aluminium Capping Strip should preferably be fitted into the aluminium cover base. However can be fitted as a retrofit for refurbishments with the appropriate flexible adhesive. Available in all the anodised colours as indicated on the colour chart. The alumimium capping strip is also formable, creating curves with the Z-Flex Curver 1, allowing designers freedom to design curves in floor layouts.

CODE	SIZE (Depth)	DESCRIPTION
ACB080	8mm	Aluminium Capping Strip Base - Straight
ACB140	14mm	Aluminium Capping Strip Base- Straight
ACFB080	8mm	Aluminium Capping Strip Base-Formable
ACFB140	14mm	Aluminium Capping Strip Base-Formable

M•Trim Aluminium Capping Strip Base is used as the base to fit the 30mm wide capping strip. The Aluminium Capping Strip Base allows for different thickness floors from 7mm to 16mm. The Aluminium Capping Strip Base is also available as a formable base to fit the curved 30mm wide capping strip.










23mm ALUMINIUM CAPPING STRIP (Dividing Strip) + Base

CODE SIZE (Width x Depth)		DESCRIPTION
ACS230	23mm x 10mm	Aluminium Capping Strip - 23mm Wide

The MoTrim Aluminium Capping Strip can be used as a capping strip or as a dividing strip between different laminate and wooden floors, protecting the different floor surfaces as well as acting as a movement joint cover allowing for the movement in laminate and wood floors. It can either be fixed as a retro-fit using the appropriate flexible adhesive or preferably during the laying of the floor. The base track is laid 1st and then the capping strip is fitted into the base track. Available in all the anodized colours as indicated on the colour chart. The aluminium capping strip is also formable creating curves with a Z-flex curver 1, allowing designers freedom to design curves in their floor layouts. Also available in brass.

CODE	SIZE (Depth)	DESCRIPTION
ATB100T	10mm	Aluminium Capping Strip Base - Straight
ATB100F	10mm	Aluminium Capping Strip Base - Formable

The MoTrim Capping Strip fits into the Aluminium carpet to tile base both the straight and formable version thereof.



ALUMINIUM T-FLOOR


CODE	SIZE (Width)	DESCRIPTION
D1ACS140	14mm	Aluminium T-Floor 14mm wide capping
D1ACS250	25mm	Aluminium T-Floor 25mm wide capping

The MeTrim Aluminium T-Floor can be used as a capping strip or as a dividing strip between different laminate and wooden floors, protecting the different floor surfaces as well as acting as a movement joint cover allowing for the movement in laminate and wood floors. It can either be fixed as a retro-fit using the appropriate flexible adhesive or preferably during the laying of the floor. The Aluminium T-Floor is laid in CB1000 and CB1600, an aluminium base. Also available in brass.


CODE	SIZE (Depth)	DESCRIPTION
CB1000	8mm	Aluminium Capping Strip Base for Aluminum T-Floor
CB1600	14mm	Aluminium Capping Strip Base for Aluminum T-Floor


The M•Trim Aluminium T-Floor can be formed into curves using a Z-flex curver 1. This is great for floor designers giving them more freedom in design. The Aluminium T-Floor can be fitted into the (CB1000 and CB1600) aluminium base securing the Aluminium T-Floor in place.

Errors and omissions excepted













Z FLEX CURVER 1

Z-Flex Curver 1 is used to help bend the capping strips in accurate curves.


ALUMINIUM TRIMS

Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM RETRO-FIT STAIR NOSING with CARBORUNDUM INSERT

CODE	SIZE (Width x Depth)	DESCRIPTION
ARCN450	45mm x 28mm	Aluminium Retro-Fit Stair Nosing with Carborundum insert


The aluminium Retro-fit Stair Nosing with carborundum insert is used on existing carpeted or wood or screed or vinyl stairs to protect the flooring material from getting damaged. It can also be used to cover areas where damage has already occured. This MeTrim Stair Nosing is slip resistant and highly visible, reducing the possibilities of accidents. Depending on the stair material (e.g.carpet, wood, vinyl, screed) various recommended adhesives are used to affix the stair nosing and/or it can be screw fixed. This stair nosing with a 19mm wide carborundum strip offers an even more effective slip resistant feature. Available in all the anodized colours as indicated on the colour chart. Carborundum strips available in black, red, green, yellow and blue.





CODE	SIZE (Width x Depth)	DESCRIPTION
ARN300	30mm x 20mm	Aluminium Retro-Fit Stair Nosing for all stair types
ARN460	46mm x 27mm	Aluminium Retro-Fit Stair Nosing for all stair types

The M•Trim Aluminium Retro-Fit Stair Nosing is used on existing carpeted, vinyl, wood or screed stairs to protect the flooring material from getting damaged. It can also be used to cover areas where damage has already occured. The M•Trim Retro-Fit Stair Nosing can be fixed onto a wide variety of stair materials. This M•Trim Stair Nosing is slip resistant and highly visible, reducing the possibilities of accidents. Depending on the stair material (e.g. carpet, wood, vinyl, screed) various recommended adhesives are used to affix the stair nosing and /or it can be screw fixed. Available in all the anodized colours as indicated on the colour chart.




lacktriangle



8

ALUMINIUM RETRO-FIT STAIR NOSING with PVC INSERT



The M•Trim Aluminium Retro-Fit Stair Nosing with PVC insert is used on carpet, vinyl, wood or screed stairs and is affixed using appropriate adhesives and/or it can be screw fixed . This stair nosing with a 44mm wide PVC slip resistant insert also offers an effective slip resistant feature and is suitable for light to medium duty pedestrian traffic. Available in various PVC colours. Anodized colours available on request. PVC colours: buff, brown, black, dark grey. PVC inserts should be glued to base using appropriate adhesives. Other PVC colours can be ordered for a minimum quantity of 500 metres.



Errors and omissions excepted





NON-SLIP COLOUR CHART




Please note that the colour representation in this catalogue is an approximation and is as close as the printing process will allow. Kirk Marketing does not in any way guarantee that the colours in this catalogue are an exact match to the finished product. Kirk Marketing reserves the right in its absolute discretion to vary any specification or design, and to supply products which are in our sole opinion, equivalent to those being offered to the purchaser



NON-SLIP INSERTS

2.5m lengths unless otherwise specified.



Available in 4 colours: Brown, Black, Beige and Grey. Expected lifespan is 3 years dependant on pedestrian traffic. The inserts are easy to replace and are all weather inserts. The inserts have excellent slip resistant qualities in adverse conditions - Oil, grease, Dust, Liquids, Powder and Fat. The non-slip inserts are inserted into the different types of Stairnosing and glued with a recommended adhesive (Den Braven Tectane 2030).



FLOORING CATALOGUE 2008 indd 9

NEW LUMINESCENCE NON-SLIP INSERTS

2.5m lengths unless otherwise specified.

The Luminescense strip is embedded in Non-slip inserts epoxies and is slightly lower than the non-slip silicone carbide ensuring it is protected from wear and tear. The Luminscense strip lasts for 12 hours maximum, which is more than the 5 hours required by SABS. Ideal for badly lit or dark stair wells. Can be used in Cinemas, Theatres and poorly lit public areas. Luminescence strips need to be stimulated by a light source to get its luminescence.

The Luminescence Strips are photo luminescent vinyl (NAV720) made by alkaline-earth aluminate and silicate which are activated by rare earth elements. Its features include high luminance, long lasting luminance and weather-proof. The Luminescence strip is non-toxic, non-radioactive and has stable chemical properties.

Under a light source of 1000LX for 15minutes, you get 12hours of Luminescence from the NAV720 luminescent vinyl. The SABS norm required is 5 hours.

A degree of normal 25LX brightness can be a source of stimulating light. Inside a building, the normal light can reach 500-600LX. Therefore, sunshine as well as normal light can be used as sources of stimulating light.

Errors and omissions excepted


(



ALUMINIUM TRIMS

Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM RETRO-FIT STAIRNOSING with PVC/NON-SLIP INSERT




M. Trim Aluminium Retrofit Stair Nosing with 35mm wide PVC insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesives. The PVC insert is available in a smooth and ridged version offering an effective slip resistant feature and is suitable for medium to heavy duty pedestrian traffic. Available in certain PVC colours: Buff, Brown, Black and Dark Grey. The full range of anodised colours available on request. Other PVC colours available on minimum order of 500m. PVC inserts should be glued to base using appropriate adhesives.


	CODE	SIZE (Width x Depth)	DESCRIPTION
NEW	ANSRN450	45mm x 30mm	Aluminium Retro-fit Stairnosing with Non-slip insert

MeTrim Aluminium Retro-fit Nosing with 35mm wide Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The full range of anodized colours are available on request for the stairnosing

	CODE	SIZE (Width x Depth)	DESCRIPTION
NEW	ALNSRN450	45mm x 30mm	Aluminium Retro-fit Stairnosing with Luminescence
			Non-slip insert

MeTrim Aluminium Retro-fit Nosing with 35mm wide Luminescense Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The luminescence strip is 5mm wide. The full range of anodized colours are available on request for the stairnosing base.







ALUMINIUM DOUBLE RETRO-FIT STAIRNOSING with PVC/NON-SLIP INSERTS

CODE	SIZE (Width x Depth)	DESCRIPTION
APDRN850S	85mm x 30mm	Aluminium Double Retro-fit Stair nosing with Smooth PVC Insert
APDRN850R	85mm x 30mm	Aluminium Double Retro-fit Stair nosing with Ridged PVC Insert


M. Trim Aluminium Double Retro-Fit Stair Nosing with two 35mm wide PVC inserts is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesives. The PVC insert is available in a smooth and ridged version offering an effective slip resistant feature and is suitable for heavy duty pedestrian traffic. Available in certain PVC colours: Buff, Brown, Black and Dark Grey. The full range of anodised colours available on request. Other PVC colours available on minimum order of 500m. PVC inserts should be glued to base using appropriate adhesives.

	CODE	SIZE (Width x Depth)	DESCRIPTION
W	ANSDRN850	85mm x 30mm	Aluminium Double Retro-fit Stairnosing with Non-slip insert

M●Trim Aluminium Double Retro-fit Nosing with two 35mm wide Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The full range of anodized colours are available on request for the stairnosing base.


	CODE	SIZE (Width x Depth)	DESCRIPTION
NEW	ALNSDRN850	85mm x 30mm	Aluminium Double Retro-fit Stairnosing with Luminescence Non-slip inserts

MeTrim Aluminium Double Retro-fit Nosing with two 35mm wide Luminscense Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The luminescence strip is 5mm wide. The full range of anodized colours are available on request for the stairnosing base.



 \bigoplus







Errors and omissions excepted


FLOORING CATALOGUE 2008 indd 10 7/21/08 8:16:28 AM



ALUMINIUM TRIMS

Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM RETRO-FIT BULLNOSING with PVC/NON-SLIP INSERT




M∙Trim Aluminium Retro-Fit Bull-nose Stair Nosing with 35mm wide PVC insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesives. The PVC insert is available in a smooth and ridged version offering an effective slip resistant feature and is suitable for medium to heavy duty pedestrian traffic. The Bullnose can be used on different stairs and has an aesthetically appealing finish. Available in certain PVC colours: Buff, Brown, Black and Dark Grey. The full range of anodised colours available on request. Other PVC colours available on minimum order of 500m. PVC inserts should be glued to base using appropriate adhesives.


	CODE	SIZE (Width x Depth)	DESCRIPTION
NEW	ANSRBN520	52mm x 30mm	Aluminium Retro-fit Bull Stairnosing with Non-slip insert

 $M\bullet Trim$ Aluminium Retro-fit Bull-nose Stairnosing with 35mm wide Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The full range of anodized colours are available on request for the stairnosing base.

	CODE	SIZE (Width x Depth)	DESCRIPTION
NEW	ALNSRBN520	52mm x 30mm	Aluminium Retro-fit Bull Stairnosing with Luminescence
			Non-slip insert

M•Trim Aluminium Retro-fit Bull-nose Stairnosing with 35mm wide Luminescense Nonslip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The luminescence strip is 5mm wide. The full range of anodized colours are available on request for the stairnosing base.





ALUMINIUM RETRO-FIT TREAD with PVC/BUMPER RAIL/NON-SLIP INSERT

CODE	SIZE (Width)	DESCRIPTION
APRT450S	45mm	Aluminium Retro-fit Tread with Smooth PVC Insert
APRT450R	45mm	Aluminium Retro-fit Tread with Ridged PVC Insert

M•Trim Aluminium Retro-Fit Tread with 35mm wide PVC insert is used on carpet, wood. vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesives. The PVC insert is available in a smooth and ridged version offering an effective slip resistant feature and is suitable for medium to heavy duty pedestrian traffic. Available in certain PVC colours: Buff, Brown, Black and Dark Grey. The full range of anodised colours available on request. Other PVC colours available on minimum order of 500m.

	CODE	SIZE (Width x Depth)	DESCRIPTION
W	ANSRT450	45mm	Aluminium Retro-fit Tread with Non-slip insert

MeTrim Aluminium Retro-fit Tread with 35mm wide Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The full range of anodized colours are available on request for the tread

CODE	SIZE (Width x Depth)	DESCRIPTION
ALNSRT450	45 mm	Aluminium Retro-fit Tread with Luminescence Non-slip insert


M•Trim Aluminium Retro-fit Tread with 35mm wide Luminesense Non-slip insert is used on carpet, wood, vinyl or screed stairs and is screw fixed and/or fixed using the appropriate adhesive. The luminescence strip is 5mm wide. The full range of anodized colours are available on request for the tread base.

CODE	SIZE (Width)	DESCRIPTION
APBR450S	45mm	Aluminium Retro-fit Bumper Rail with Smooth PVC Insert
APBR450R	45mm	Aluminium Retro-fit Bumper Rail with Ridged PVC Insert


The Aluminium Retro-fit Tread also known as the MoTrim Retro-fit Rumper Rail can be used as a bumper rail on walls to protect the walls from being damaged by trolleys, beds in hospitals and any high traffic area where the walls might expect to be damaged. The Bumper Rail is screw fixed and/or fixed using the appropriate adhesives.

Errors and omissions excepted

M·TCIM • • • • M·TCIM • • • • M·TCIM • • • • M·TCIM • • • •







PVC INSERTS	
	Ridged (R)
	Smooth (S)
NON-SLIP INSERTS	
	Non-Slip insert
5mm	
++ 1-2mm	Luminescence Non-slip insert



(

FLOORING CATALOGUE 2008 indd 11

11



ALUMINIUM CARPET TRIMS

Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM TRANSITION COVERS + Base


CODE	SIZE (Depth)	DESCRIPTION
ATC300	30mm	Aluminium Transition Cover (30mm wide)
ATC380	38mm	Aluminium Transition Cover (38mm wide)
ATC290	29mm	Aluminium Transition Cover (29mm wide)
ATC470	47mm	Aluminium Transition Cover (47mm wide)


This aluminium M•Trim range of different transition base and cover trims allows the fitter various options for successfully joining different floor coverings by achieving a neat and durable finish between the floor transitions. The covers can be used without the base trims e.g. screwed on over the transition line between floor types that were not laid with the base trim. The range of M•Trim covers can also be used in doorways, between different materials, great for refurbishments. The ATC470 is 47mm wide cover made with thicker aluminium for medium to heavy traffic. The ATC290, ATC300 , ATC380 and ATC470 is also available in 1m lengths.


CODE	SIZE (Width x Depth)	DESCRIPTION
ATB100C	30mm x 10mm	Aluminium Carpet Base (Gripper)


M \bullet Trim Aluminium Carpet base is for floors from 10mm thick used with the full range of M \bullet Trim carpet covers and the 23mm wide M \bullet Trim Aluminium Capping Strip. The Aluminium Carpet base is available in both the straight and formable versions, the formable version used with the curved 23mm wide M \bullet Trim Aluminium capping strip.

The cover trims are available in all the anodized colours as indicated on the colour chart.














ALUMINIUM CARPET GRIPPER STRAIGHT EDGE TRIM

CODE	SIZE (Depth)	DESCRIPTION
ACGSE100	10mm	Aluminium Carpet Gripper Straight Edge Trim

M•Trim Aluminium Carpet Gripper Straight Edge is used between stretch carpet and tile or wood. It's main purpose is as a transition between carpet and another flooring type of similar thickness in order to protect the carpet and the other flooring material. The Aluminium Carpet Gripper Straight Edge is nailed to the floor and the carpet is stretched onto the gripper under the lip and if required the top is knocked down to meet the carpet thickness with rubber mallet and wood block. Available in all the anodised colours as indicated on the colour chart.



lacktriangle






ALUMINIUM CARPET GRIPPER ROUND EDGE TRIM

CODE	SIZE (Depth)	DESCRIPTION
ACGRE100	11mm	Aluminium Carpet Gripper Round Edge Trim

M•Trim Aluminium Carpet Gripper Round Edge is used as a finishing transition between stretch carpet and screed or vinyl at front door entrances, bedroom entrances and thresholds. The Aluminium Carpet Gripper Round Edge is nailed to the floor and the carpet is stretched onto the gripper under the lip and if required the top is knocked down to meet the carpet thickness with rubber mallet and wood block. Available in all the anodised colours as indicated on the colour chart.



Errors and omissions excepted






Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM CARPET GRIPPER CAPPING STRIP TRIM

CODE	SIZE (Width x Depth)	DESCRIPTION
ACGCS300	30mm x 9mm	Aluminium Carpet Gripper Capping Strip Trim

M•Trim Aluminium Carpet Gripper Capping Strip is used as a variable thickness transition between stretch carpet and laminate or wood. The Aluminium Carpet Gripper Capping Strip is nailed to the floor and the carpet is stretched onto the gripper under the lip and if required the top is knocked down to meet different thickness carpet and laminate or wood thickness with a rubber mallet and wood block. With the floating laminate and wood floors the capping strip allows for movement. Available in all the anodised colours as indicated on the colour chart.







ALUMINIUM CARPET GRIPPER TRANSITION TO WOOD/ LAMINATE TRIM

CODE	SIZE (Width x Depth)	DESCRIPTION
ACGT-W100	19mm x 10mm	Aluminium Carpet Gripper Transition to Wood or Laminate Trim

M•Trim Aluminium Carpet Gripper Transition to Wood or Laminate is used as a fixed thickness transition between stretch carpet and wood or laminate. The Aluminium Carpet Gripper Transition to Wood or Laminate is nailed to the floor and the carpet is stretched onto the gripper under the lip and if required the top is knocked down to meet the carpet thickness with a rubber mallet and wood block. The Wood or Laminate side is a fixed thickness. The fixed side allows for movement for the floating laminate and wood floors. Available in all the anodised colours as indicated on the colour chart.








CODE	SIZE (Width x Depth)	DESCRIPTION
ACTGSE100	20mm x 10.5mm	Aluminium Twin Carpet Gripper Straight Edge Trim

 $M\bullet Trim$ Aluminium Carpet Twin Gripper Straight Edge is used between two different carpets in colour or thickness or pattern. The Aluminium Carpet Twin Gripper Straight Edge is nailed to the floor and the carpet is stretched onto the gripper under the lip on both sides and if required the top is knocked down to meet the carpet thickness with a rubber mallet and wood block. Available in all the anodised colours as indicated on the colour chart.








CODE	SIZE (Width x Depth)	DESCRIPTION
CG1220.25	25mm x (6 - 7mm)	5 ply 1220mm Long Carpet Gripper with concrete nails

The 5 ply 25mm wide Carpet Gripper is used for stretch carpet. The Carpet Gripper has one side cut back at a 60degree angle, this side faces the wall. The carpet is tucked under this side. The other 90 degree side butts against the underlay. The thickness of the carpet gripper is between 6 to 7mm and 25mm concrete nails are supplied with each length 140mm apart along the length of carpet gripper. There are 100 lengths in each box and each length is 1220mm.



Errors and omissions excepted







ALUMINIUM WOOD & LAMINATE TRIMS


Aluminium Trims are available in 2.5m lengths unless otherwise specified.

ALUMINIUM WOOD/LAMINATE EXPANSION COVER

CODE	SIZE (Width)	DESCRIPTION
ACE380	38mm	Aluminium Wood/Laminate Expansion Cover

 $M\bullet Trim$ Aluminium Wood/Laminate Expansion Cover is used to allow for movement for the same level wood/laminate flooring for thicknesses from 7mm to 16mm. The $M\bullet Trim$ expansion cover is fitted into the 8mm or 14mm base dependant on the thickness of the flooring. The Expansion cover is available in all the anodised colours as indicated on the colour chart.









CODE	SIZE (Width x Depth)	DESCRIPTION
ACT380	38mm x 6mm	Aluminium Wood/Laminate Transition Cover

M•Trim Aluminium Wood/Laminate Transition Cover is used as a transition between wood/laminate and different height flooring such as a transition between wood/laminate and carpet. The height difference can be up to 6mm. The M•Trim transition cover is fitted into the 8mm or 14mm base dependant on the thickness of the flooring. The Transition cover is available in all the anodised colours as indicated on the colour chart






NEW

ALUMINIUM WOOD/LAMINATE FINISH COVER

CODE	SIZE (Width x Depth)	DESCRIPTION
ACF400	40mm x 10mm	Aluminium Wood/Laminate Finish Cover


M•Trim Aluminium Wood/Laminate Finish Cover is used as a ramp (finish) between wood/laminate down to a screed or vinyl. The height difference can be up to 11mm. The M•Trim Finish cover is fitted into the 8mm and 14mm base dependant on the thickness of the flooring. The Finish Cover is available in all anodized colours as indicated on the colour chart.



ALUMINIUM WOOD/LAMINATE SQUARE END COVER

CODE	SIZE (Width)	DESCRIPTION
ACSQ248	24mm	Aluminium Wood/Laminate Square End Cover


M•Trim Aluminium Wood/Laminate Square End Cover is used as an end cover against walls, sliding doors to allow for movement in the wood/laminate floors for thicknesses from 7mm to 16mm. The M•Trim Square End cover is fitted into the 8mm or 14mm base dependant on the thickness of the flooring. The Square End cover is available in all the anodised colours as indicated on the colour chart.



ALUMINIUM COVER BASE

CODE	SIZE (Depth)	DESCRIPTION
ACB080	8mm	Aluminium Cover Base
ACB140	14mm	Aluminium Cover Base

M•Trim Aluminium Cover Base is used as the base to fit the Aluminium Expansion, Transition and Square End covers for wood/laminate flooring. The aluminium cover base allows for different thickness floors from 7mm to 16mm.







ALUMINIUM STICK DOWN COLOUR CHART

















Please note that the colour representation in this catalogue is an approximation and is as close as the printing process will allow. Kirk Marketing does not in any way guarantee that the colours in this catalogue are an exact match to the finished product. Kirk Marketing reserves the right in its absolute discretion to vary any specification or design, and to supply products which are in our sole opinion, equivalent to those being offered to the purchaser.

ALUMINIUM STICKDOWN **PROFILES**

All profiles availabe in 2.7m lengths or otherwise specified


The MoTrim stickdown range is ideal for refurbishments as it is fitted as a retro-fit, with a top quality double side adhesive. Simply remove the barrier strip and stick the profile down by applying pressure onto the profile at the adhesive. Also used when the trims have by mistake been left out and the floor needs to be finished without screwfixing and time is of the essence

The profiles available are the end piece against a wall or sliding door, cover as an expansion joint, and a transition between two different flooring types or floors with height differences.

END PROFILE




The Aluminium Stickdown End Profile is used against the perimeter of a room (walls), against sliding doors and against tiles for laminate and wood flooring. The End Profile allows for movement of the floor. Easy to use simply peal away the barrier strip and apply to laminate or wood floor by pressure, allow space for movement. Available in the wood foiled and anodized colours as per colour chart. Available in 8mm and 14mm.



TRANSITION PROFILE

CODE	SIZE (Width x Depth)	DESCRIPTION
ASDTP080	33mm x 8mm	8mm Aluminium Stick-Down transition profile
ASDTP140	46mm x 14mm	14mm Aluminium Stick-Down transition profile

The Aluminium Stickdown Transition Profile is used between different flooring types with height differences such as laminate or wood to screed, laminate or wood to vinyl and laminate or wood to carpet flooring. The Transition Profile allows for movement of the floor. Easy to use simply peal away the barrier strip and apply to laminate or wood floor by pressure, allow space for movement. Available in the wood foiled and anodized colours as per colour chart. Available in 8mm and 14mm transitions.




COVER PROFILE

All profiles availabe in 2.4m only

CODE	SIZE (Width)	DESCRIPTION
ASDCP420	42mm	42mm Aluminium Stick-Down cover profile


The Aluminium Stickdown Cover Profile is used for same level floors of any type such as wood to wood, laminate to laminate, laminate to tile, wood to tile, etc. The Cover Profile allows for movement of the floor. Easy to use simply peal away the barrier strip and apply to laminate or wood floor by pressure, allow space for movement. Available in the wood foiled and anodized colours as per colour chart. Available in 8mm and 14mm transitions.



15

Errors and omissions excepted

FLOORING CATALOGUE 2008 indd 15 7/21/08 8:17:00 AM






BRASS TRIMS


Brass Trims are available in 2.5m lengths unless otherwise specified.

FORMABLE BRASS STRAIGHT EDGE TRIM

CODE	SIZE (Depth)	DESCRIPTION
BFE08	0 8mm	Brass Formable Straight Edge Trim (8mm thick carpet)
BFE10	0 10mm	Brass Formable Straight Edge Trim (10mm thick carpet)
BFE12	0 12mm	Brass Formable Straight Edge Trim (12mm thick carpet)

M•Trim Brass Formable Straight Edge 8mm to 12mm is used to protect the edge of carpet, wood floor or screeds. Its added advantage is that it curves and gives designers more flexibility on their flooring design against stickdown carpet and can be used as an edge against stretch carpet as long as grippers are used in conjunction with it. As brass can oxidize, please note that this can be rectified using polishing agents.








CODE	SIZE (Width x Depth)	DESCRIPTION
BEFE100	10mm x 4mm	Brass Elite Formable Straight Edge for Trim for 7 - 10mm
		Carpet/Wood/Laminate

M•Trim Elite Brass Formable Straight Edge Trim is the same as the Brass Straight Edge except it has a 4mm wide top section on the trim, showing a larger brass edge. M•Trim Elite Brass Formable Straight Edge Trim can be shaped into curves by using hand pressure. Once the desired form has been achieved the trim is fixed using concrete nails or screws. It is used against carpets, laminate, and screed floors. It can be used against stickdown carpet and can be used as an edge against stretch carpet as long as grippers are used in conjunction with it. As brass can oxidize, please note that this can be rectified using polishing agents.








BRASS CAPPING STRIP

CODE	SIZE (Width x Depth)	DESCRIPTION
BCS200	20mm x 8mm	Brass Capping Strip
BCS140	14mm x 8mm	Brass Capping Strip

The M•Trim Brass Capping Strip can be used as a capping strip or as a dividing strip between different laminate and wooden floors, protecting the different floor surfaces as well as acting as a movement joint cover allowing for the movement in laminate and wood floors. It can either be fixed as a retro-fit using the appropriate flexible adhesive or preferably during the laying of the floor. The brass capping strip is laid in CB1000 and CB1600, an aluminium base. Also available in aluminium.

CODE	SIZE (Depth)	DESCRIPTION	
CB1000	8mm	Aluminium Capping Strip Base for 25mm wide capping	l
CB1600	14mm	Aluminium Capping Strip Base for 25mm wide capping	l

The M•Trim Brass Capping Strip can be formed into curves using a Z-flex curver 1. This is great for floor designers giving them more freedom in design with brass. The Brass capping strip can be fitted into the (CB1000 and CB1600) aluminium base securing the Brass Capping strip in place. Available in the 14mm and 20mm widths.









Errors and omissions excepted




BRASS TRIMS


Brass Trims are available in 2.5m lengths unless otherwise specified.


BRASS RETRO-FIT STAIRNOSING


CODE	SIZE (Width x Depth)	DESCRIPTION
BRN340	34mm x 17mm	Brass Retro-Fit Stairnosing
BRN203	20mm x 20mm	Brass Retro-Fit Stairnosing

The M•Trim Brass Retro-Fit Stair Nosing is used on existing carpeted, wood/laminate, vinyl and screed stairs, for new stairways and refurbishments to protect the flooring from breaking and getting damaged. This Brass Stair nosing is available in two sizes in a natural finish and is screw fixed and/or affixed using appropriate adhesives onto the various stair materials. The M•Trim Brass Retro-Fit Stair Nosing is slip resistant and highly visible, reducing the possibility of accidents. Used for medium to heavy duty pedestrian traffic.












BRASS RETRO-FIT STAIRNOSING


CODE	SIZE (Width x Depth)	DESCRIPTION
BRN250	25mm x 16mm	Brass Retro-Fit Stairnosing

M•Trim Brass Retro-Fit Stair Nosing is used on carpet, wood, vinyl or screed stairs for new stairways and refurbishments to protect the stair material from getting damaged and is screw fixed and/or fixed using the appropriate adhesives. This Brass Stair nosing is available in one size in a natural finish. The M•Trim Brass Retro-Fit Stair Nosing is slip resistant and highly visible, reducing the possibility of accidents. Used in low to medium duty pedestrian traffic.





lacktriangle




BRASS TRANSITION COVER

CODE	SIZE (Width x Depth)	DESCRIPTION
BTC340	34mm x 10mm	Brass Transition Cover

The M•Trim Brass Transition Cover is used as a transition cover between different height floor coverings such as: carpet to wood or laminate or screed to wood or laminate or vinyl to wood or laminate at entrances where there is heavy pedestrian traffic. It is used at thresholds. It is also used for aesthetic design where a wood or laminate floor ends and you need a trim to finish it off.

Great for refurbishments. The Brass is available in a natural or polished finish. The Brass Transition Cover is used as retrofit cover, screw fixed with brass screws and plugs. The transition cover has a height difference of 10mm.





Errors and omissions excepted




BRASS TRIMS

Brass Trims are available in 2.5m lengths unless otherwise specified.

BRASS TRANSITION COVER

CODE	SIZE (Width)	DESCRIPTION
BTC250	25mm	Brass Transition Cover


The MoTrim Brass Transition Cover is used as a cover between carpet to carpet or wood/laminate to wood/laminate or carpet to wood/laminate or vinyl to carpet or whatever the transition might be. Cover is used for medium to heavy duty pedestrian traffic. Great for refurbishments. The Brass is available in a natural or polished finish. The Brass Cover is a retrofit profile and is screw fixed with brass screws and plugs. Available in one width.





CODE	SIZE (Width)	DESCRIPTION
BTC290	29mm	Brass Transition Cover
BTC380	38mm	Brass Transition Cover


The MeTrim Brass Transition Cover is used as a cover between carpet to carpet or wood/laminate to wood/laminate or carpet to wood/laminate or vinyl to carpet or whatever the transition might be. Cover is used for medium to heavy duty pedestrian traffic. Great for refurbishments. The Brass is available in a natural or polished finish. The Brass Cover is a retrofit profile and is screw fixed with brass screws and plugs. Available in two widths.





CODE	SIZE (Width x Depth)	DESCRIPTION
BCC230	23mm x 5mm	Brass Carpet Cover End

The M●Trim Brass Carpet Cover-end is used as a finish at the end of a carpet floor. It can also be used as a finish at the end of a vinyl floor. Cover is used for medium to heavy duty pedestrian traffic. Great for refurbishments. The Brass finish is natural. The Brass Cover-end is a retrofit profile and is screw fixed with brass screws and plugs.








BRASS STAIR ROD + Accessories

CODE	SIZE (Length)	DESCRIPTION
BSR200	2m	Brass Stair rod
BSRCLP		Brass Clips
BSREND		Brass Ends


The MeTrim Brass Stair rod is used on carpet stairways to hold stretch carpet in place up the stairs at the base of each step riser. Each Brass Stair rod comes with a pair of brass clips and brass ends to finish off the stair rod. These are optional extras. The Brass Stair Rod is both functional and used for aesthetics. The Brass finish is natural. Available in 2m lengths.



Errors and omissions excepted










STRUCTURAL MOVEMENT JOINT COVERS

All Structural Movement Joints and Covers are available in 3m lengths unless otherwise specified.

PVC STRUCTURAL MOVEMENT JOINT COVER (for VinvI)

CODE	SIZE (Width x Depth)	DESCRIPTION
PMJC60	60 x 2mm	PVC Structural Movement Joint Cover (For vinyl floors only)

The MeTrim 60mm wide flexible PVC Structural Movement Joint Cover is used for 2 mm to 3mm thick vinyl and is PVC welded to the PVC sheeting available in black and dark grey. Used above expansion joints no wider than 20mm. Joint must be packed and sealed prior to PVC sheeting being laid. A flexible PVC is used allowing movement of +5mm -5mm . The PVC Structural movement joint cover is glued to the floor using contact adhesive to either side of the joint width. The middle section must not be glued and be free to take up the movement. Then the PVC joint cover is PVC welded to the vinyl sheets. Available in 15m lengths only.






ALUMINIUM STRUCTURAL WALL JOINT COVER

CODE	SIZE (Width)	DESCRIPTION
ASCW480	48mm	Aluminium Structural Wall Joint Cover


The M®Trim Aluminium Structural Wall Joint Cover is designed for secondary covering of wall, dry wall, ceiling and facade movement joints, with great joint tolerances. Joint width varies between 15-35mm. Used for internal/external walls and ceilings. Quick and easy installation is achieved by surface fixing the profiles which are anchored permanently in the joint using steel spring clips. Use four steel spring clips per 3m length. Available in natural or matt silver or any of the anodized colours on request.





CODE	SIZE (Width)	DESCRIPTION
ASCCW396	39mm	Aluminium Structural Wall Corner Joint Cover

The MoTrim Structural Wall Corner Joint Cover is used as a secondary covering of movement joints on irregular and uneven walls, dry walls, ceilings or facades. The joint tolerance is 15mm to 35mm. It is used between ceilings and walls, and wall corners. Quick and easy installation is achieved by surface fixing the profiles which are anchored permanently in the joint using steel spring clips. Use four steel spring clips per 3m length. Available in natural or matt silver or any of the anodized colours on request.




15-35mm

ALUMINIUM STRUCTURAL FLOOR JOINT COVER

CODE	SIZE (Depth)	DESCRIPTION
ASCF760	76mm	Aluminium Structural Floor Joint Cover

The MeTrim Aluminium Structural Floor Joint Cover is suitable for interior and exterior use. Medium duty covers are suitable for shopping centres, high pedestrian traffic areas and airports. On request, Butyl rubber strips can be added to either side of the cover. The joint tolerance is between 15-35mm. Quick and easy installation is achieved by surface fixing the profiles which are anchored permanently in the joint using steel spring clips. Use five steel spring clips per 3m length. This joint cover can also be screw fixed. Available in natural or matt silver or any of the anodized colours on request.



Errors and omissions excepted

M·TCIM • • • • M·TCIM • • • • M·TCIM • • • • M·TCIM • • • •

21




STRUCTURAL MOVEMENT JOINT COVERS

All Structural Movement Joints and Covers are available in 3m lengths unless otherwise specified.

ALUMINIUM STRUCTURAL FLOOR JOINT COVER

CODE	SIZE (Width)	DESCRIPTION
ASCF760 (NF)	76mm	Aluminium Structural Floor Joint Cover with no flange


The M•Trim Structural Floor Cover of 76mm width with no flanges is used over an existing joint that is already filled with foam or joint filler and there is no place to fit the SClips. The cover is screw fixed on one side only and strips of butyl tape are adhered to the cover and floor surface ensuring reduction in sound on traffic over the cover as well as an effective seal and adhesion of the cover to the flooring material. When using Butyl tape, ensure the aluminium cover and the floor surface are thoroughly cleaned before applying it. Available in 3m lengths and in natural or matt silver. On request you can ask for any of the anodised colours on the colour chart.





CODE	SIZE (Width)	DESCRIPTION
ASCF106	106mm	Aluminium Structural Floor Joint Cover

The M•Trim Aluminium Structural Floor Joint Cover is suitable for interior and exterior use. Heavy duty covers are available for factories and warehouses and are suitable for heavy pedestrian and trolley traffic. On request, Butyl rubber strips can be added to either side of the cover. The joint tolerance is between 15-40mm. Quick and easy installation is achieved by surface fixing the profiles which are anchored permanently in the joint using steel spring clips. Use five steel spring clips per 3m length. This joint can also be screw fixed. Available in natural or matt silver or any of the anodized colours on request.




◍



ALUMINIUM STRUCTURAL FLOOR JOINT COVER

CODE	SIZE (Width)	DESCRIPTION
ASCF106 (NF)	106mm	Aluminium Structural Floor Joint Cover with no flange

The MoTrim Structural Floor Joint Cover of 106mm width with no flanges is used over an existing joint that is already filled with foam or joint filler and there is no place to fit the SClips. The cover is screw fixed on one side only and strips of butyl tape are adhered to the cover and floor surface ensuring reduction in sound on traffic over the cover as well as an effective seal and adhesion of the cover to the flooring material. When using Butyl tape, ensure the aluminium cover and the floor surface are thoroughly cleaned before applying it. Available in 3m lengths and in natural or matt silver. On request you can ask for any of the anodised colours on the colour chart.



Errors and omissions excepted

M·TCIM OOO M·TCIM OOO M·TCIM OOO M·TCIM OOO



STRUCTURAL MOVEMENT JOINT COVERS

All Structural Movement Joints and Covers are available in 3m lengths unless otherwise specified.

ALUMINIUM STRUCTURAL COVER CLIPS AND BUTYL TAPE

CODE	SIZE	DESCRIPTION
SCLIP	Pack of 5	Aluminium Structural Cover Clip
BUTYL	3m (Double Sided)	BUTYL Tape

The strips of butyl tape are adhered to the cover and floor surface ensuring reduction in sound on traffic over the cover as well as an effective seal and adhesion of the cover to the flooring material. When using Butyl tape, ensure the aluminium cover and the floor surface are thoroughly cleaned before applying it. Available in 6m lengths and 15m lengths.

The SClip is a clip manufactured from Spring Steel and is used in joints from 15mm to 35mm in width. The Spring Steel is treated against corrosion by passivation of the spring steel. Use 5 SClips for every 3m length of cover on floors and 4 SClips for every 3m length of cover on walls.

HEAVY DUTY STAINLESS STEEL TILE COVERS

These heavy duty Stainless Steel Trims are available in 2.5m lengths in grade 304 unless otherwise specified.


NEW

STAINLESS STEEL TILE COVER




CODE	SIZE (Width x thickness)	DESCRIPTION
STC400	40mm x 1.6mm	Stainless Steel Tile Cover
STC750	75mm x 1.6mm	Stainless Steel Tile Cover

The M•Trim Stainless Steel Cover is fitted between two surfaces of the same level. It is used to cover up the gaps created between tiles and different flooring. The Stainless Steel cover is screw fixed with plugs , stainless steel screws are recommended. Grade 304 is recommended, however brushed Grade 430 is available on request. In highly corrosive environments Grade 316 is recommended.




NEW

STAINLESS STEEL TRANSITION RAMP COVER



SIZE (depth x width x thickness)	DESCRIPTION
5mm x 40mm x 1.6mm	Stainless Steel Transition Ramp Cover
10mm x 70mm x 1.6mm	Stainless Steel Transition Ramp Cover
15mm x 80mm x 1.6mm	Stainless Steel Transition Ramp Cover
20mm x 90mm x 1.6mm	Stainless Steel Transition Ramp Cover
	5mm x 40mm x 1.6mm 10mm x 70mm x 1.6mm 15mm x 80mm x 1.6mm

The MoTrim Stainless Steel Transition Ramp Cover is fitted between two surfaces of the different levels. It is used to cover up the gaps created between the tile levels and different flooring levels. The Stainless Steel cover is screw fixed with plugs, stainless steel screws are recommended. Grade 304 is recommended, however brushed Grade 430 is available on request. In highly corrosive environments Grade 316 is recommended. Available in different thicknesses for custom designed transitions.



Errors and omissions excepted



INDUSTRIAL RETROFIT NON-SLIP STAIRNOSING WITH REFLECTIVE TAPE

Dimensions are variable as it is custom designed

NEW

INDUSTRIAL RETROFIT NON-SLIP STAIRNOSING



CODE	SIZE (Length x Width)	DESCRIPTION
INSN.GAV.F/M/C	(300mm to 1200mm)	Industrial Retrofit Non-Slip Nosing with Galvanised
	x (50mm to 250mm)	base – fine, medium or coarse grit
INSN.3CR12.F/M/C	(300mm to 1200mm) x (50mm to 250mm)	Industrial Retrofit Non-Slip Nosing with 3CR12 metal base – fine, medium or coarse grit
INSN.304.F/M/C	(300mm to 1200mm) x (50mm to 250mm)	Industrial Retrofit Non-Slip Nosing with Grade 304 Stainless Steel base – fine, medium or coarse grit

 \bigoplus

Fully Integrated patented non-slip stair tread for factory and industrial applications. Constructed with Silicone Carbide and Space age Epoxies and Resins on various metal backings including galvanised steel, 3CR12 Steel plate and/or Grade 304 Stainless Steel Plate

The Non-Slip Silicone Carbide material is available in fine, medium and coarse grits dependant on how much pedestrian traffic is used. We recommend fine grit for Light Pedestrian Traffic, medium grit for medium pedestrian traffic and coarse grit for heavy pedestrian traffic.

The Non-Slip tread is slip resistant in the most adverse conditions such as Oil, Grease, Fat, Dust, Liquids and Powder.

The Non-Slip Stair Treads are custom designed with certain dimension limitations: Length is a minimum 300mm to a maximum 1200mm. Longer length stair treads are butt jointed. Width is a minimum 50mm to a maximum 250mm. Standard Stair Lip is 25mm with a reflective strip on the stair. The reflective strips on the tread are 40mm off the edge.

The Non-Slip Stair Treads are long-lasting, durable, chemical resistant, non static and impact resistant.

The Industrial Non-Slip Stair Treads can be fitted to Concrete, Steel and Checker plate and Mentis Grating stairwells. There is different fitting methods per substrate. Please request fitting method instructions when you encounter the different substrates. We will forward instructions with the product supplied for the different substrates.







Errors and omissions excepted