

is for...



M•Chem Mind Masterly Magnificent Magnifico Macerate Make Mach
 1 Machine Macho Mason Made to order Madonna Madrid Marvelous
 Mass market Mass production
 Mastermind Masterpiece
 Metods

## **Mission Statement**

Kirk marketing is dedicated to be the leader in our industry through commitment to our products, clients and staff with integrity and without compromise.

order

Major Major Leag

Mallet Man-hours **M**•Chem Man-sized Manage Management Mandala **M**•Tools Mandate Mandible Mandolin Magma Manic Manifesto Manifold Manipulate Management Management Manometric Manpower Mansard Mantle

Marathon I

Master

# **Kirk Goals**

- To provide the correct product and solution to the market place.
- To have an unequalled service ethic

Maneu.

Manufactu. Mamba Marke Manual Ingin Marine Magnificent

ntenance

athon Malleable

Magnifico Macerate Make Mach e Machine Macho Mason Made to order Madonna Madrid Marvelous Mass market Mass production Master Mastermind Masterpiece **M**•**Tools** Matchmaker Materials



Kirk marketing has expanded on their **M•TRIM** range of trims. They have included two new exciting ranges to compliment the **M•TRIM** range in the tiling industry. They are **M•CHEM** and **M•TOOLS**.



M-CHEM is a comprehensive range of quality tilecare chemicals – Extensive market research and tests have been done over the last two years to allow Kirk to confidently introduce their unique range of tile cleaners, tile strippers and tile sealants, covering almost every eventuality and tile type.



**M-TOOLS** is a comprehensive range of tiling tools, many of them unique in the marketplace. Kirk is continually looking for new and improved tools to introduce into the range, staying ahead of local and world trends.



**RUBI** is the Rolls Royce of the Manual and Electric Tile cutters, Kirk keep a popular range of Rubi products for the local market place.

# Contents

2-9	M•Chem
10-31	M•Tools
32-41	Rubi



### Quick reference to the M•Chem quality tile care product range

**MCMTC - MAINTENANCE TILE CLEANER** 

Daily cleaner, recommended on sealed tiles. removes animal and vegetable fats.

*MCMPC* - MULTI-PURPOSE CLEANER Solvent cleaner, removes oils, fat and grease. Degreaser. Neutralises GROUT AND TILE CLEANER.

*MCGTC* - GROUT AND TILE CLEANER Removes excess grout and adhesive after tiling. Removes rust from tiles and cleans grout lines.

*MCTST* - TILE STRIPPER A solvent based acrylic coating stripper. Used to remove old acrylic coatings before recoating.

*MCHDTST* - HEAVY DUTY TILE STRIPPER A complex solvent based stripper for the removal of all difficult to remove coatings. Removes epoxy, polyurethane and paint from tiles , wood and metal.

*MCTS* - TILE SEALANT Water based, semi matt tile sealant for all natual or unglazed tiles, brick, concrete, plaster etc. *Recommended on; terracotta, porcelain, slate, sandstone and travertine.* 

*MCCS* - CLEAR SEALANT Penetrating white spirit based clear tile sealant for low porosity unglazed tiles. UV resistant interior & exterior sealing system. Recommended for; polished porcelain, granite, travertine and marble.

#### MCWATS Water ba Recomm

#### MCWATS - WATER SOLUBLE ACRYLIC TILE SEALANT

Water based penetrating gloss sealant with slight colour enhancement, for varying porosity unglazed tiles. *Recommended on; cement tiles, terracotta, sandstone and slate.* 

#### **MCCSETS - COLOUR SHEEN ENHANCER TILE SEALANT**

A solvent based, penetrating sealant for concrete and medium to high porosity tiles. High gloss and colour enhancement. *Recommended on; cement tiles, terracotta, clay, sandstone and slate.* 



#### **MCTSP - TILE SHINE POLISH**

A polymer self shine polish for sealed porous tiles, vinyl flooring and glazed tiles, used to enhance and protect. For interior use only.

#### **MCPS - POLISH STRIPPER**

A stripper of polymer polishers for all unglazed tiles, vinyl flooring and glazed tiles. Contains no ammonia. Will only remove polymer polish, will not damage sealant.

### Misfor... M•Chem Cleaners

We recommend 2 (two) types of cleaners for dirty, soiled and stained tiles. They are the *Maintenance Tile Cleaner* as a general daily cleaner, and the *Multi Purpose Cleaner* which can be used monthly or whenever you find hard to remove dirt or stains. It is an excellent degreaser.

Please note: always read caution and precaution notes on the bottles for your own safety.

#### **M**•Chem Maintenance Tile Cleaner

#### A blend of emulsifiers formulated to remove light dirt and soil from any type of surface. Will also remove animal or vegetable fats from all tiled, wood and metal surfaces.

- This is a general purpose neutral cleaner for daily maintenance cleaning of tiled surfaces.
- Recommended cleaner for tiles sealed with M•Chem Sealants or Coatings

#### Application

- Always treat a small inconspicuous area first to ensure no tile damage.
- Using the appropriate dilution apply the tile maintenance cleaner to the affected area using a microfibre pad or mop.
- Can also be used in rotary machines.
- Allow the mixture a 5 minute contact reaction time to ensure maximum effect and then scrub with a scouring pad.
- For cleaning on walls start at the bottom of the wall to prevent streaking this would also be necessary if washing the car etc.
- Rinse thoroughly using fresh water to prevent a haze forming.
- For very bad stains it may be used at stronger dilutions or Multi Purpose Cleaner may be used.
- Stronger dilutions will need extra thorough rinsing to prevent a haze forming.

Availability and Coverage - 1/, 5/ and 25/. Coverage from 2m<sup>2</sup> per diluted litre upwards





loors 1-160 parts water 1-50 parts water



Dilution guideline	
Lightly soiled floors	1-100 parts water
Heavily soiled floors	1-3 or 5 parts water
Carpeting	1-3 or 5 parts water
Grout lines	1-10 or 50 parts water
General use	1-10 parts water with 5 min. reaction time,
	then clean in the normal fashion.

#### M•Chem Multi Purpose Cleaner

Solvent blend cleaner for the removal of oil, grease and dirt from tiles, especially prior to refurbishment and sealing. Neutralises the *M*•Chem Grout & Tile Cleaner.

- · Multi use cleaner that removes a variety of oil, grease and dirt.
- Rejuvenate dirty grout lines and tiles by removing old stains or fat deposits.
- Clean most surfaces from ceramics, to stained laminate flooring, car engines and carpets.
- Used as an alternative to *M*•*Chem Grout and Tile Cleaner* as a preparatory cleaner for some cement tiles prior to sealing.

#### Application

- Always treat a small inconspicuous area first to ensure no tile damage.
- Using the appropriate dilution apply the multi purpose cleaner to the affected area using a microfibre pad/sponge.
- Allow the mixture a 5 min. contact reaction time to ensure maximum effect
- Scrub with scouring pad.
- Rinse thoroughly using fresh water to prevent haze forming.
- For grout rejuvenation use a spray bottle to direct the cleaner onto the grout lines, allow contact reaction time and clean with grout cleaning brush or sponge.
- For bad stains it may be used undiluted or diluted with hot water.
- For daily maintenance use M-Chem Tile Maintenance Cleaner

Availability and Coverage - 1/, 5/ and 25/. Coverage from 2m<sup>2</sup> per diluted litre upwards



3

# Misfor... M•Chem Grout Remover & Strippers

The M-Chem Grout & Tile Cleaner is a very effective grout remover of old and new grout and it also has the added advantage of removing calcium and magnesium stains on tiles and bricks. We have 2 (two) types of sealant strippers. These are your standard **M-Chem Tile Stripper** for most acrylic coatings and the **M-Chem Heavy Duty Tile Stripper** 

for difficult to remove coatings such as polyurethane, epoxy and enamels Please note: always read caution and precaution notes on the bottles for your own safety.

#### **M**•Chem Grout & Tile Cleaner

#### An acid blend for the removal of excess grout and adhesive from tiles and bricks.

- BE CAREFUL NOT TO DAMAGE TILE OR BRICK
- A cleaner that removes grout and cement adhesive residues from tiles and bricks.
- Rejuvenates dirty grout lines by removing calcium or magnesium salts and old stains.
- It is the recommended preparatory cleaner for new tiles prior to sealing.

#### Preparation

- Always treat a small inconspicuous area at first to ensure no tile damage, and that the correct dilution is achieved.
- Do not allow to dry as it might form insoluble salts on the tile surface.
- **Newly laid tiles** using the appropriate dilution apply with a grout sponge. Allow the mixture a 5 min. contact reaction time to ensure maximum effect, then scrub well with grout brush or scouring pad, then rinse thoroughly with water.
- Grout rejuvenation apply onto the grout lines, allow contact reaction time and clean with grout cleaning brush. Rinse thoroughly with water. Repeat application, if necessary, until clean.
- For very bad grout or cement adhesive stains it may be used undiluted as a matter of last resort.

**Availability and Coverage** - 1*l*, 5*l* and 25*l*. Coverage from 3m<sup>2</sup> per diluted litre upwards depending on the porosity of the tile

A-CHEN

(10)

MCTST.5



Use dluted from 1-3 to 1-10 parts water

M•Chem Tile Stripper

#### A solvent based acrylic coating stripper for low and high porosity tiles.

• A stripper for the removal of old acrylic coatings prior to the refurbishment and re-coating of the tile. It can be used on all tile surfaces and it will not discolour the tile.

#### Preparation

• Ensure a clean surface by using tile maintenance cleaner or multi purpose cleaner depending on the contaminant, prior to applying the *M*-Chem Tile stripper.

#### Application

- Treat a small inconspicuous area first to ensure no tile damage. Ensure a dry substrate.
  Apply the tile stripper at the correct dilutions, depending on the age of the coating, with a sponge or mop. Allow a 20 min. contact reaction time to break down the old coating.
- Scrub the surface using a *M*•*Chem black scouring pad* until the coating has softened.
- Remove by flushing with water. Old, more persistent coatings may require a second application.
- The tile is completely stripped when the wetting effect is constant across the whole surface.
- Coatings that do not come off may be removed using *M*•*Chem Heavy Duty Tile Stripper*.
- Availability and Coverage 1/, 5/ and 25/. Coverage from 10m<sup>2</sup> per diluted litre upwards

#### **M**•Chem Heavy Duty Tile Stripper

1-3 parts water

1-5 parts water

MCTST.1

A complex heavy duty solvent based stripper for removal of all difficult to strip coatings.
Coatings include polyurethane, epoxy and enamel paints for hard type tiles, wood and

#### Preparation

metal surfaces.

Old coatings

Newer coatings

• Ensure a clean surface by using tile maintenance cleaner or multi purpose cleaner depending on the contaminant, prior to applying the *M*-Chem Heavy Duty Tile Stripper.

#### Application

- Treat a small inconspicuous area first to ensure no tile damage.
- Ensure a dry substrate. Apply the heavy duty tile stripper.
- A 3mm layer must be applied using the M•Chem microfibre applicator.
- Allow  $\pm$  15 min. reaction time, some bubbling may occur to indicate the reaction.
- Scrub the surface with a scouring pad while rinsing with water.

Availability and Coverage - 1/, 5/ and 25/. Coverage from 1m<sup>2</sup> upwards





Dilution guidel

Do not dilute



M-CHEM



# Misfor... M•Chem Low Porosity Tile Sealants

We recommend 2 (two) tile sealants for low porosity tiles, *M•Chem Tile Sealant* and the *M•Chem Clear Sealant*. The *M•Chem Tile Sealant* can also be used for high porosity tiles. The *M•Chem Clear Sealant* has superior wear properties to the *M•Chem Tile Sealant* and is longer lasting. *M•Chem Tile Sealant* is an easy to apply water based sealant and the *M•Chem Clear Sealant* is white spirit based and difficult to remove.

Please note: always read caution and precaution notes on the bottles for your own safety.

#### **M**•Chem Tile Sealant

Water based semi-matt tile sealant for varying porosity unglazed tiles.

- A uv resistant interior and exterior sealing system that can be used on a variety of tiles, vinyls,
- bricks, screeds, concrete, plaster surfaces etc.
- It will not discolour the surface.

#### Recommended on the following tiles: terracotta, sandstone, travertine, slate and porcelain.

#### Preparation

- Remove all previous coatings using the appropriate M•Chem stripper.
- Ensure surface is clean of all contaminants including dirt and dust using the appropriate M•Chem cleaners.
- New tiles must be treated with *M*•*Chem Grout & Tile Cleaner* to remove excess grout and tile adhesive.

#### Application

#### • Always treat a small inconspicuous area first to ensure no tile damage.

- Substrate must be dry.
- M•Chem Tile Sealant is applied undiluted using a lamb's wool or roller applicator.
- Apply thin coat, allowing  $\pm$  30 min. before applying next coat.
- Number of coats will depend on porosity of tile.
- Next coat is applied at 90° to previous coat.

Availability and Coverage - 1/, 5/ and 25/. Up to 15m<sup>2</sup> coverage per litre dependant on tile porosity



Dilution guideline

Do not dilute



**M**•Chem Clear Sealant

Penetrating white spirit based clear tile sealant for low porosity unglazed tiles.

- A uv resistant interior and exterior sealing system that can be used on a variety of porous tiles, bricks, screeds, concrete, plaster surfaces etc.
- It will not discolour the surface for low porosity tiles.

#### Recommended on the following tiles: porous porcelain, granite, travertine and marble

#### Preparation

- Remove all previous coatings using the appropriate *M*•*Chem strippers*.
- Ensure surface is clean of all contaminants including dirt and dust using the appropriate M•Chem cleaners.
- New tiles must be treated with *M*•*Chem Grout & Tile Cleaner* to remove excess grout and tile adhesive.

#### Application

- Always treat a small inconspicuous area first to ensure no tile damage.
- Substrate must be dry.
- Apply undiluted using a lamb's wool or roller applicator
- Allow for running saturation to achieve maximum protection.
- Higher porosity tiles may need higher volumes of clear sealant.
- 24 Hour drying period is required before pedestrian traffic can use the substrate.
- Maintenance coats may be required in future years.
- Tiles may be maintained using M•Chem Tile Maintenance Cleaner.
- Availability and Coverage 1/, 5/ and 25/.

Up to 5m<sup>2</sup> coverage per litre dependant on tile porosity



Do not dilute

# Misfor... M•Chem High Porosity Tile Sealants

We recommend 2 (two) tile sealants for high porosity tiles. We have a water based M-Chem Water Soluble Acrylic Tile Sealant, which is easy to apply and clean and we have a solvent based M-Chem Colour Sheen Enhancer Tile Sealant. They are both durable sealants with the M-Chem Colour Sheen Enhancer being longer lasting.

Please note: always read caution and precaution notes on the bottles for your own safety.

#### **M**•Chem Water Soluble Acrylic Tile Sealant

#### Water based penetrating gloss tile sealant with a slight colour enhancement for varying porosity unglazed tiles.

- A uv resistant interior and exterior sealing system that can be used on a variety of tiles, bricks, screeds, concrete, natural and synthetic stone and plaster surfaces etc.
- It will give a slightly glossy colour enhanced finish.

#### Recommended on the following tiles: cement tiles, terracotta, sandstone and slate.

#### Preparation

- Remove all previous coatings using the appropriate *M*•Chem strippers.
- · Ensure surface is clean of all contaminants including dirt and dust using the appropriate M•Chem cleaners.
- New tiles must be treated with M•Chem Grout & Tile Cleaner to remove excess grout and tile adhesive.

#### Application

#### • Treat a small inconspicuous area first to ensure no tile damage.

- · Substrate must be dry.
- Apply undiluted using a lamb's wool or roller applicator.
- Apply thin coats to avoid pooling or streaking, allow  $\pm$  30 minutes before applying the next coat.
- Number of coats will depend on porosity of tile.
- Next coat is applied at 90° to previous coat.
- 24 hr drying period required before pedestrians can use the substrate.
- · Very porous substrates may require additional coats. Sealed surfaces must be maintained using M•Chem Tile Maintenance Cleaner.

Availability and Coverage - 1/, 5/ and 25/. Coverage up to 15m<sup>2</sup> per litre depending on the porosity of the substrate



MCCSETS.1

#### **Dilution** guideline

Do not dilute

#### Availability and Coverage -

11, 51 and 251. Coverage up to 10m<sup>2</sup> per litre coverage depending on the porosity of the substrate

#### M•Chem Colour Sheen Enhancer Tile Sealant

#### A solvent based penetrating tile sealant for concrete and medium to high porosity tiles.

• An acrylic uv resistant non-slip interior and exterior sealing system that can be used on medium to high porosity tiles.

CHE/ KIRK

URK

MCWATS 1

Do not dilute

MCWATS.5

- It will give a colour enhancement and a high gloss finish.
- It is self catalizing and no mixing is required.

#### Recommended on the following tiles: cement tiles, terracotta, clay, sandstone and slate.

#### Preparation

- Remove previous coatings using the appropriate M•Chem strippers for first time use of M•Chem Colour Sheen Enhancer tile sealant.
- When recoating on old coatings of M•Chem Colour Sheen Enhancer Tile Sealant, clean all contaminants incl. dirt and dust off existing surface by using M-Chem cleaners before applying the new coat.
- New tiles must be treated with M•Chem Grout & Tile Cleaner to remove excess grout and tile adhesive.

#### Application

- Treat a small inconspicuous area first to ensure no tile damage.
- Substrate must be dry (can take up to 3 days).
- Product is applied undiluted using a microfibre applicator.
- Don't apply in direct sunlight/warm rooms. Wait for cool time of day.
- Apply thin coats, allow  $\pm 1$  hr curing time or until touch dry, before applying next coat.
  - Number of coats will depend on porosity of tile. Next coat is applied at 90° to previous coat.
  - 24 hr drying period required before pedestrian use of substrate.
  - The floor must be treated with care for the first 7 days
- until full chemical & abrasion resistance has been achieved.
- Very porous substrates may require additional coats. · A re-coat can be applied without stripping, just cleaning.



### Misfor... M•Chem Tile Polish & Stripper

We recommend **M-Chem Tile Shine Polish** to brighten up your tiles for a more shiny finish. The **M-Chem Tile Shine Polish** only gets applied on top of a sealed tile. The **M-Chem Polish Stripper** is used prior to applying the **M-Chem Tile Shine Polish** in order to remove old polish and prevent a polish build-up.

### Please note: always read caution and precaution notes on the bottles for your own safety.

#### **M**•Chem Tile Shine Polish

### A polymer self shine polish for sealed porous tiles, vinyl flooring and glazed tiles used to enhance and protect tiles.

- · An interior coating system for all unglazed porous tiles, vinyl floors and glazed tiles.
- It will not discolour the surface.
- Porous tiles should be sealed first using the appropriate *M*•*Chem sealants*, before the *M*•*Chem Tile Shine Polish* is applied.

### Recommended for: porous porcelain, textured tile surfaces, matt sealed tiles and vinyl flooring

#### Preparation

- Remove all previous coatings using the appropriate *M*•Chem strippers.
- Ensure surface is clean of all contaminants including dirt and dust using the appropriate *M*•*Chem cleaners*.
- New tiles must be treated with *M*•*Chem Grout & Tile Cleaner* to remove excess grout and tile adhesive.
- Porous tiles must be sealed using the appropriate *M*•*Chem sealer*.

#### Application

#### • Treat a small inconspicuous area first to ensure no tile damage.

- Substrate must be dry.
- M•Chem Tile Shine Polish is applied undiluted using a lamb's wool or roller applicator.
- Apply 2-3 coats, allowing ± 30 min. between coats.
- Successive coats are applied at 90° to previous coats.
- 24 Hour drying period is required before pedestrian traffic can use the substrate.
- Very porous surfaces may require additional coats
- Sealed surfaces must be maintained using M•Chem Tile Maintenance Cleaner.

#### Availability and Coverage - 1/, 5/ and 25/. Coverage up to 15m<sup>2</sup> per litre per coat



Dilution guideline

Dulute 1 to 3 parts water

#### **M**•Chem Polish Stripper

### A stripper of polymer polishes for all unglazed tiles, vinyl flooring and glazed tiles. It contains no ammonia.

Do not dilute

• A water emulsifiable stripper of *M*•*Chem Tile Shine Polish*, prior to re-coating of *M*•*Chem Tile Shine Polish*.

#### Preparation

• Ensure surface is clean of all contaminants including dirt and dust using the appropriate M•Chem cleaners.

#### Application

- Treat a small inconspicuous area first to ensure no tile damage.
- Substrate must be clean.
- Dilute the *M*•*Chem Polish Stripper* between 1-3 or 5 parts water depending on the age and thickness of old coatings.
- M-Chem Polish Stripper is applied with a microfibre applicator or grout sponge.
- Allow  $\pm$  20 minutes contact reaction time to break down old coating.
- Scrub the surface using a black scouring pad until the softened coating has lifted off the substrate.
- Rinse with water while continuing to scrub.
- Repeat if necessary, until coatings have been removed.
- Allow floor to dry completely before applying new *M*•*Chem Tile Polish* coating.
- Sealed surfaces must be maintained using M•Chem Tile Maintenance Cleaner.

Availability and Coverage - 1/, 5/ and 25/.

Coverage up to 15m<sup>2</sup> per diluted litre depending on the porosity of substrate



7







# Misfor... M•Tools Economy Manual Tile Cutters

M-Tools economy range of tile cutters is meant exclusively for the DIY market. Due to the nature of the DIY market these machines do not carry a guarantee, other than obvious manufacturing defaults. They are available in various cutting lengths; from 330mm to 600mm, giving the DIY'er enough versatility in cutting most ceramic wall & floor tiles. For continued use, replacement scoring wheels are available for all the machines.



MTETC500/600.SW MTETC330/400.SW MTETC430.SW

10

Code	Description	Cut Length	Diagonal Cut (Tile size)	Tile Thickness
MTETC330	330mm Econo Tile Cutter	330mm	230mm x 230mm	5mm – 8mm
MTETC400	400mm Econo Tile Cutter	400mm	280mm x 280mm	5mm – 8mm
MTETC430	430mm Econo Tile Cutter	430mm	300mm x 300mm	5mm – 10mm
MTETC500	500mm Econo Tile Cutter	500mm	350mm x 350mm	5mm – 12mm
MTETC600	600mm Econo Tile Cutter	600mm	420mm x 420mm	5mm – 12mm

#### **Spare Scoring Wheels**

MTETC500/600.SW MTETC330/400.SW MTETC430.SW 22mm Scoring wheel for 500mm and 600mm Econo Tile Cutter 15mm Scoring wheel for 330mm and 400mm Econo Tile Cutter 16mm Scoring wheel for 430mm Econo Tile Cutter

### Misfor... M•Tools Semi Professional Manual Tile Cutters

M-Tools semi professional manual tile cutters are for small contractors or the adventurous handyman. These are much sturdier machines than the Economy range. Two types are available; one type meant mainly for straight cuts, and the Elite range specialising in repetitive diagonal cuts as well as straight cuts. These machines are designed for cutting thicker ceramic tiles, as well as some of the thinner porcelain tiles. Replacement scoring wheels are available throughout the range.



MTSP430/530/630.SW



Code	Description & Cut Length	Diagonal Cut (Tile size)	Tile Thickness		
MTSPT430	430mm Semi Pro Tile Cutter	300mm x 300mm	8mm – 15mm		
MTSPT530	530mm Semi Pro Tile Cutter	375mm x 375mm	8mm – 15mm		
MTSPT630	630mm Semi Pro Tile Cutter	455mm x 455mm	8mm – 15mm		
MTSPT630E	630mm Elite Semi Pro Tile Cutter	455mm x 45omm	8mm – 15mm		
MTSPT750E	750mm Elite Semi Pro Tile Cutter	530mm x 530mm	8mm – 15mm		
MTSPT.SW	12mm Replacement scoring wheel Set for Semi Pro Tile Cutters				
MTSPTE.SW	16mm Replacement scoring wheel for	Elite Semi Pro Tile Cutters			



### Misfor... M•Tools Electric Tile Cutters

M-Tools electric tile cutters are designed for the small contractor or serious DIY enthusiast. The range includes a small portable table top cutter for small jobs and extends up to an 1800 Watt machine for cutting bigger tiles and for more continuous work. All machines in the range are capable of doing mitre cuts. These machines do not carry a guarantee, other than obvious manufacturing faults. For a more professional option consult the RUBI section in this catalogue.







Code	Description & Blade Size	Motor Strength	Cut Length	Diagonal Cut (Tile size)
MTECP180	180mm Portable Electric Cutter	450W	~	00
MTECL200	200mm Electric Cutter with Legs	800W	500mm	350mm x 350mm
MTECL250	250mm Electric Cutter with Legs	1100W	630mm	445mm x 445mm
MTECL300	300mm Electric Cutter with Legs	1800W	800mm	565mm x 565mm

# Misfor... M•Tools Hand Tiling Tools

The Hand Tiling Tools include a complete range of light, medium and heavy duty Tile Nippers, Tile Breaker Pliers and Mosaic Cutters. There is a literally a Hand Tool for every scenario. The choice of tool depends on the tile being used and the desired effect.



### Misfor... M•Tools Hand Tiling Tools

The Hand Tiling Tools include tools used to finish off sharp edges, score tiles and clean up after tiling is complete.



Errors and omissions excepted

### Misfor... M•Tools Grout Removers

A wide range of grout removers for varying applications. Light duty tools used on wall tiles and medium and heavy duty tools for floor grout. Sometimes when grout is too stained, or dirty to clean you may want to remove it and re-grout. This is especially the case in showers where mildew has set in.



MT5GR.B Spare blade for 5 Sided Grout Remover

MT2GS	2 Piece Grout Saw	A heavy duty tool with two blades; one is serrated for use on wall tiles, and the other is
		carbide coated for use on floor tiles. This tool affords the user a wider range of use.
		Spare blade sets are available.

Blade set for 2 Piece Grout Saw

15

MT2GS.B

### Misfor... M•Tools Tiling tools

The Hand Tiling Tools include a number of tools used to clean grout and knee pads to offer comfort in completing some tasks associated with tiling.



16





### Misfor... M•Tools Hand Tiling Tools

The Hand Tiling Tools include tools for mixing adhesive and grout. The range includes DIY tools and tools for the bigger contractor. Also included are grout applicators, suction pads and cleaning accessories.





Errors and omissions excepted



## Misfor... M•Tools Measuring Tools

A complete range of manual and electronic measuring tools and levels. This range includes some standard tools as well as a few specialised ones for the more serious tiler or contractor.



MTLDM MTLD&AM MTLD,A,VH&TH.5	Laser Distance measurer Laser Distance & Area Measurer Lazer Distance, Area, Volume Measurer & 5m Tape Measurer	Using a lazer beam, it reads distance and displays it digitally Using a lazer beam, it reads distance and can calculate area Using a lazer beam, it reads distance and can calculate area and volume. Includes a 5m tape measure	
MTDHM.600	600mm Distance Hole Measurer	A ruler with two adjustable slides that aid in measuring, levelling and marking multiple holes for fitting fixtures on walls. Used for bathroom accessories or shelves.	
MTARL.600	600mm Aluminium Ruler with Level	A ruler with level attachment for measuring, levelling and marking lines on walls.	
MTASL.600/1200	600/1200mm Aluminium Spirit Levels	Standard spirit levels in two sizes to measure vertical and horizontal	





### Misfor... M•Tools Diamond Blades

The M•Tools Diamond blades include various quality, and various sized blades for all applications. The 115mm and 230mm blades are generally used on angle grinders, whilst the other sizes are used with electric tile cutters. There is also two types of dressing stones used to unclog, and re-expose the diamonds on the diamond blades.



MTDB180/200/230/250/300/350.QC

Code	Description	Function
MTDB115DIYKIT	115mm Set of Diamond Blades for the Handyman	A set of DIY blades: continuous, segmented and turbo blades for the handyman. This set gives the handyman a blade for all possible uses.
MTDB115/230.S	115/230mm Segmented Diamond Blades	A range of segmented blades designed to cut concrete and masonry products. Segments expel fragments and create less dust. Used by DIY and contractors
MTDB115/180/200/ 230/300/350.C	115/180/200/ 230/300 /350mm Continuous Diamond Blades	Continuous blades are designed to cut various types of tiles and hard materials. Used by DIY and contractors. Cut wet (or dry with angle grinder).
MTDB115/230.T	115/230mm Turbo Diamond Blades	A Multi purpose blade that can be used for continuous and segmented jobs, although the same quality cut is not achieved. The advantage is that one blade performs both functions. Cut dry.
MTDB180/200/230/ 250/300/350.QC	180/200/230/ 250/300/ 350mm Quality Continuous Diamond Blades	Quality continuous diamond blades used by professionals. Cut wet, giving best quality cuts.



## Misfor... M•Tools Diamond Blade Accessories

There are two types of dressing stones used to unclog, and re-expose the diamonds on the diamond blades, diamond bits and diamond hole saws. Vitrified carbide blades for cutting masonry and steel are available in 115mm and 230mm used with angle grinders.



Code	Description	Function	
MTMD115/230	115/230mm Masonry Disc	A disc designed to cut concrete and masonry products. The discs are used with grinders.	
MTSD115/230	115/230mm Steel Disc	A disc designed to cut steel products like pipes sheetmetal etc. The discs are used with grinders.	
MTDS.RO	Round Dressing Stone	A 60 grit round dressing stone used to unclog diamond blades, drill bits and hole saws. Running the blade or bit through the stone re-exposes the diamonds.	М.Т
MTDS.RE	Rectangular Dressing Stone	An 80 grit rectangular dressing stone used to unclog diamond blades, drill bits and hole saws. Running the blade or bit through the stone re-exposes the diamonds.	p a g

24





### Misfor... M•Tools Drill Hole Guides and Lubricator

The M•Tools Drill Hole Guides include an adjustable, universal guide when drilling various sized holes, and a 5 Hole Drill guide for use with MTDBitSet and MTDBit6/8/10/12. Both guides are attached to the Pressure Spray Bottle which supplies a constant flow of water to the cutting tip. This cools down the cutting tip and protects the tool from overheating.



Code	Description	Function	
MTUGSPAD	Universal Guide Suction Pad	An adjustable guide for use with the Diamond Drill Bits and Diamond Hole Saws. Pressure Spray Bottle fits onto the guide to supply water to the cutting edge.	
MT5DSG	5 Drill Hole Suction Guide	A suction guide for use with Diamond Drill Bits. The correct sized hole is placed above the hole marking. The suction pad is activated and the Guide is attached to the Pressure Spray Bottle. The hole is drilled with a fresh water supply.	M.TOOLS
MTPSB.11	1,1 Litre Pressure Spray Bottle	A Pressure Spray Bottle with 1.1 litre capacity. This bottle attaches to the two guides to supply fresh water to the cutting tip of the drill bit or hole saw. The Trigger locks to free up both hands whilst drilling.	page 27

### M is for... M•Tools Hammers

The M•Tools Hammers include a range of hammers for different purposes, chipping hammers, claw hammers and block hammers.



HTMH.1	1kg Machinist Hammer	Hammer is used in conjunction with a block to close gaps in laminate and wood floors. General purpose for builders
MTBH.2	2kg Block Hammer	A bulky hammer used for heavy striking. To break concrete or bricks in surface preparation. To strike chisels.
MTCHH	Chipping Hammer	A hammer used for floor or wall preparation before plastering or tiling. This hammer takes a toothed comb which helps chip away existing plaster, screed
MTCHH.C	Chipping Hammer Combs	or concrete. A reversible replacement comb for the Chipping Hammer.









### <sup>M is for...</sup> **Rubi**

Rubi was established in1951 when it manufactured its 1st tile cutter in Spain, Rubi's quality products generally carry some form of guarantee from 3 years for manual professional tile cutters to 1 year for electric professional tile cutters. Once a Rubi user, always a Rubi user, as you know you are using a quality product. Kirk stocks a range of DIY manual and electric cutters as well as a range of professional manual and electric cutters. Kirk have access to the complete range of Rubi products and spares and can source any Rubi product for you, dependent on a delivery time. Direct all enquiries to Kirk and we will be able to assist. Rubi have a professional range of Tiling Tools for the professional tiler. Rubi are one of the leading quality tile tool manufacturers in the world.





Rubi have a range of manual DIY cutters from your lightweight Practic 30, very popular amongst the 1st time DIY tiler for bathroom wall tiles, excellent quality, up to your larger DIY Rapid 62 capable of cutting tiles up to 62cm in length. With the exception of your Practic's which use a single replacement wheel, the other DIY cutters all use 6mm, 8mm and 10mm scoring wheels depending on what tiles you are cutting.



Description	Code	Max Cut Length	Max Cut Diagonal (Tile Size)	Max Cut Thickness	Scoring Wheels	Weight
Expert-40	10906	42cm	30x30 cm	12mm	6, 8, 10mm	4kg
Expert-50	10907	57cm	36x36 cm	12mm	6, 8, 10mm	5kg
Hobby-40	10925	42cm	30x30 cm	12mm	6, 8, 10mm	3.4kg (with carry case)
Hobby-50	10927	57cm	36x36 cm	12mm	6, 8, 10mm	4kg (with carry case)
Practic-30	10929	32cm	22x22 cm	10mm	14mm	1.3kg
Practic-40	10930	43cm	30x30 cm	10mm	14mm	2.1kg
Star-40	12931	42 cm	30x30 cm	12mm	6, 8, 10mm	4,3 kg (with carry case)
	12930	42 cm	30x30 cm	12mm	6, 8, 10mm	3,3 kg
Star-50	12936	51 cm	36x36 cm	12mm	6, 8, 10mm	4,9 kg (with carry case)
	12935	51 cm	36x36 cm	12mm	6, 8, 10mm	3,8 kg
Star-60	12971	61 cm	43x43 cm	12mm	6, 8, 10mm	5,5 kg (with carry case)
	12970	61 cm	43x43 cm	12mm	6, 8, 10mm	4,2 kg



# Misfor... Rubi Manual DIY Tile Cutters

Rubi's DIY cutters include the larger DIY Rapid 62, capable of cutting tiles up to 62cm in length. With the exception of your Practic's which use a single 14mm replacement scoring wheel, the other DIY cutters all use 6mm, 8mm and 10mm WIDIA scoring wheels depending on what tiles you are cutting.



Product	Code	Description	Diameter
6 & 10mm WIDIA Scoring wheel set	1995	For TS and TR	6 & 10mm
6mm WIDIA Scoring wheel	1945	Tungsten carbide for regular wall tiles	6mm
8mm WIDIA Scoring wheel	1958	Tungsten carbide for standard and porcelian tiles	8mm
10mm WIDIA Scoringwheel	1946	Tingsten carbide for floor tiles	10mm
14mm WIDIA Scoring wheel	10910	Tungsten carbide for ceramic tiles (for Practics)	14mm



Rubi have the most comprehensive professional range of manual tile cutters in the world all with 3 year guarantees. Kirk stocks the most popular range, of professional cutters. We can source manual cutters cutting tiles up to 1200mm in length with breaking power of 1000kg. Rubi professional manual cutters are able to cut curves, just get one of your Kirk experts to show you how. They use the full range of scoring wheels from 6mm to 22mm cutting most different types of tiles. Whatever tile you cannot cut with one of Rubi's professional manual tile cutters use a precision Rubi electric cutter.

TS-60-E

TS-40/60

- 1

TS-70-PLUS



Description	Code	Max Cut Length	Max Cut Diagonal (Tile Size)	Max Cut Thickness	Breaking Power	Weight
TS-60-E	16930	60 cm	42x42 cm	6-15mm	400 kg	9.5 kg (With carry case)
TS-40	18940	43 cm	30x30 cm	6-15mm	400 kg	6,5 kg (With carry case)
TS-40	18941	43 cm	30x30 cm	6-15mm	400 kg	5.2 kg
TS-60	18960	43 cm	30x30 cm	6-15mm	400 kg	13,5 kg (With carry case)
TS-60	18961	43 cm	30x30 cm	6-15mm	400 kg	12.1 kg
TS-70-PLUS	16970	75 cm	53x53 cm	6-15mm	750 kg	15 kg (With carry case)
TR-600-S	17936	60 cm	42x42 cm	6-15mm	600 kg	13,4 kg (With carry case)



# Rubi Manual Professional Cutter Spares

Kirk carry a common range of Rubi spares for both manual and electric cutters. Kirk can get any spare that the customer requests within a specified time frame and at a specified price. Explodings of every machine is available at Kirk and once the spare is identified by the customer it can be ordered. Delivery can be airfreighted or seafreighted dependant on customers urgency. Rubi have quality manufactured spares.



37

Cutter Separator17851TR separator handle17837

Separator for TR set Handle for TR set



117									J
ND200	45910	880W	2770	~	40mm	∞	200mm	51x52.5x24 cm	15 kg
ND300	45920	1500W	2800	~	75mm	∞	300mm	69x63x26 cm	30.5 kg
DU-200-L	55970	730W	2750	65cm	48mm	46x46cm	200mm	105x40x32 cm	30 kg

38

Errors and omissions excepted

# Rubi Professional Electric Cutters

Rubi offers a power range to suit all types of materials, tiles or building materials as well as high prescision mitre cutting and other special angle cuts. These models all incorporate thermal protective devices and overload cut off switches, and fully comply with most of current standards and directives, making Rubi electric cutters the safest on the market. Rubi also offers these machines with a cutting length up to 130cm.









Description	Code	Watts	RPM	Max Cut Length	Max Cut Thickness	Max Cut Diagonal (Tile Size)	Outside Blade Diam.	Weight
DW-200-L	55980	730W	2750	63-70cm	48/75mm	50x50cm	200mm	31 kg
DW-200-LPS	58980	1100W	2875	63-70cm	40/62mm	50x50cm	200mm	38 kg
DS-230-LPS	59900	1100W	2875	71cm	50/90mm	50x50cm	230mm	66 kg
DS-250	57970	2200W	2800	92cm	55mm	65x65cm	250mm	112.5 kg

page 39

# M is for... Rubi Professional Electric Cutters

Rubi diamond baldes for cutting materials meet all professional needs. The complete range includes specific blades for all types of materials (tiles, stoneware, porcelain tiles, marble, granite...) Top quality Rubi blades are recommended with the Rubi electric cutters. The Rubi blades last longer and are less likely to chip tiles. Professional users of Rubi electric machines prefer using Rubi blades because they cut so much better than the markets alternatives. Explodings and parts lists are available for each machine from Kirk. Any spare part can be ordered from us.









WATER PUMP B100/101

Description	Code	Watts	RPM	Max Cut Length	Max Cut Thickness	Max Cut Diagonal (Tile Size)	Outside Blade Diam.	Weight	
DS-300 DR-300-EN	57920 58970	2200W 2200W	2800 2800	88cm 76cm	75/140mm 92/150mm	62x62cm 44x44cm	300-350mm 300-350mm	113.5 kg 77 kg	
Description Code		Application		Outside Diameter		Inside Diam	Inside Diameter		
CEV125	30948	For all ty	/pes of tiles	230mm		22,2mm			
CEV200	30948	For all ty	For all types of tiles		230mm		22,2mm		
CEV230	30948	For all ty	For all types of tiles		230mm		22,2mm		
CEV250	30949	For all ty	For all types of tiles		250mm		25,4mm		
CEV300 30950		For all types of tiles		300mm		25,4mm			
Description		Cada	Voltano / U	- Annlia	ation				
Description		Code	Voltage / H	z Applic					
WATER PUMP	B101	56990	230 V 50 Hz	For DIA	MANT D, DR, DS, [	OT and DX and fo	r the electric cleane	er SPOMATIC	

For DIAMANT DU and DW



56986

230 V 50 Hz

WATER PUMP B100

# M is for... **Rubi Professional Electric Cutters**

Semi-automatic machine of medium dimensons suitable for permanent installation in factories. The DM-400 can be fitted with diamond abrasive blades with a maximum diameter of 400mm, allowing cuts to be made on marble and granite slabs and brick products in general. Optional accessories are available, ie. extension roller table and the adjustable lateral top.







#### **GAUTENG (Head Office)**

2 Martha Street, Eastgate Gardens, Sandton, Gauteng, South Africa PO Box 235 Bergvlei 2012 Tel: +27 11 444 1441 Fax: +27 11 444 1165 sales@kirk.co.za

#### WESTERN CAPE New Premises

Unit 5 & 6 , Neutron Road, Atom Industial Park, Bellville Triangle, Cape Town, 8001 Tel: +27 21 949 2226 Fax: +27 21 949 4531 ecapesales@kirk.co.za

#### **KWA-ZULU NATAL**

Tel: +27 31 564 1175 Fax: +27 31 564 1143 kznsales@kirk.co.za

#### **EASTERN CAPE**

Tel: +27 41 360 4667 Fax: +27 86 6884 980 ecapesales@kirk.co.za

> info@kirk.co.za www.kirk.co.za