SICO CAM-LOCK
PARQUET DANCE FLOOR

If you like the beauty of SICO's ORIGINAL Wood Parquet Dance Floor and prefer the locking feature of the STARLIGHT Dance Floor, the CAM-LOCK PARQUET DANCE FLOOR is ideal for you. Enjoy the elegance of real wood along with the positive cam-lock panel system.

CAM-LOCK Parquet Dance Floor has all the benefits of the original dance floor plus these unique features:

- CAM-LOCK allows you to automatically align panels and trim pieces together for a faster and more secure fit.
- A half-turn with an Allen wrench is all that is necessary to lock or unlock panels, reducing the time and labor required to lay down a dance floor.
- It's easy to assemble because there is no panel order sequence to follow.
- Panels are 3' x 3' (914mm x 914mm).
 No odd sizes to deal with, allowing easier set up.
- CAM-LOCK's reliable positive locking system is not dependent upon magnets or gravity to keep panels interlocked.
- Panels weigh 40 lbs. (18kg) and are shipped two per carton at 80 lbs. (36kg).
- 10-year warranty of Cam-Lock mechanism.
 3-year warranty on all other parts.



SICO's dance floor caddy easily holds up to 25 ORIGINAL, or CAM-LOCK, panels and trim. With SICO's CAM-LOCK
Parquet Floor, you can
enjoy the elegance of real
wood along with the security
of this positive panel locking
system. This system automatically
aligns panels and trim pieces
together for a faster and more
secure fit.

#DCP1AM Matural Oak

#OCP1 AH Heritage Oal

page four

HOW MUCH DANCE FLOOR DO YOU NEED?*

* Assume that only one-third of your guests will dance, so the number of dancers shown in these graphs is only 33% of your total guests.

STARLIGHT and CAM-LAM Dance Floor Panels 4 ft. x 4 ft. (122cm x 122cm)

FLOOR SIZE	NUMBER	NUMBER	NUMBER
	OF PANELS	OF DANCERS	OF CADDIES
8'x 8' (244cm x 244cm)	4	16	1
8'x12' (244cm x 366cm)	6	24	1
8'x16' (244cm x 488cm)	8	32	1
12'x16' (366cm x 488cm)	12	48	1
12'x20' (366cm x 610cm)	15	60	1
16'x16' (488cm x 488cm)	16	64	1
16'x20' (488cm x 610cm)	20	80	1
16'x24' (488cm x 732cm)	24	96	1
16'x28' (488cm x 853cm)	28	112	2
16'x32' (488cm x 975cm)	32	128	2
20'x20' (610cm x 610cm)	25	100	1
20'x24' (610cm x 732cm)	30	120	2
20'x28' (610cm x 853cm)	35	140	2
20'x32' (610cm x 975cm)	40	160	2
24'x32' (732cm x 975cm)	48	192	2
24'x36' (732cm x 1097cm)	54	216	3
28'x32' (853cm x 975cm)	56	224	3
32'x32' (975cm x 975cm)	64	256	3
32'x36' (975cm x 1097cm)	72	288	3
36'x36' (1097cm x 1097cm)	81	324	4
36'x40' (1097cm x 1219cm)	90	360	4
40'x40' (1219cm x 1219cm)	100	400	4

ORIGINAL and CAM-LOCK Dance Floor Panels 3 ft. x 3 ft. (91cm x 91cm)

JIL X JIL (JICHI X JICHI)		
NUMBER	NUMBER	NUMBER
OF PANELS	OF DANCERS	OF CADDIES
6	12	1
9	18	1
12	24	1
15	30	1
16	32	1
20	40	1
28	56	2
30	60	2
35	70	2
40	80	2
45	90	2
48	96	2
54	108	3
60	120	3
63	126	3
70	140	3
77	154	4
81	162	4
88	176	4
100	200	4
110	220	5
120	240	5
	NUMBER OF PANELS 6 9 12 15 16 20 28 30 35 40 45 48 54 60 63 70 77 81 88 100 110	NUMBER OF PANELS NUMBER OF DANCERS 6 12 9 18 12 24 15 30 16 32 20 40 28 56 30 60 35 70 40 80 45 90 48 96 54 108 60 120 63 126 70 140 77 154 81 162 88 176 100 200 110 220

Contact your SICO sales representative to discuss your specific dance floor needs.

Cam-Lock Portable Dance Floor

Description

The Original Parquet Dance Floor with a Positive Cam-Lock System

If you like the Original Portable Dance Floor, You'll love the Cam-Lock Portable Dance Floor. This floor gives you the elegance, and durability of the SICO[®] Original Parquet Dance Floor with the positive connection of a Cam-Lock instead of a set-screw locking system.

Perfect Choice for Frequent Usage!

The addition of the positive Cam-Lock system to this floor dramatically reduces set-up time and is a good choice for your facility if you use dance floors on a frequent basis. The Cam-Lock allows you to automatically align panels and trim pieces together for a faster and secure fit. A half-turn with an allen wrench is all that is necessary to lock or unlock panels, reducing the time and labor required to lay down a dance floor. Cam-Lock's reliable positive locking system is not dependent upon magnets or gravity to keep panels interlocked.

Quality Construction

SICO uses only the highest quality wood parquet and guarantees the squareness of every panel, making set-up and take-down easy. The back of each panel is also coated with a high-grade polymer to act as a protective barrier to moisture. The $SICO^{\circledast}$ Gold anodized border trim provides a modest 11° slope to every floor with its broad 5" width (127mm). Each trim piece highlights the edge of the floor for your guests.

Self-Aligning Panels Makes Set-up Easy

The edging on this floor works with the locking design to automatically align panels and trim pieces together for a faster and more secure fit. This makes for faster, trouble-free assembly.

The Performance Promise

This SICO portable dance floor comes with a **3-Year Warranty** on components and a **10-Year Warranty** on the Cam-Locking mechanism.


THE SICO ORIGINAL PORTABLE DANCE FLOOR

SICO's ORIGINAL PORTABLE DANCE FLOOR is used and recommended by more hotels, clubs, and convention centers than any other portable dance floor on the market. Here's why:

- SICO's superior manufacturing process guarantees the squareness of every panel, making set-up and take-down much easier—and eliminates gaps between panels.
- SICO uses a harder T-6 aluminum metal feature strip which protects the edges of each panel, adding extra years of use and durability.
- All SICO ORIGINAL parquet panels are 3' x 3' (914mm x 914mm). No odd sizes to deal with, allowing easier set up.
- The unique helicoil insert protects and secures the set screw allowing for longer life.
- All panels make 100% floor contact so there is no possibility of breakthrough.
- · SICO's U-shaped caddies hold up to 25 panels, with slots to keep trim neatly organized for quicker installation.
- Panels weigh 40 lbs. (18kg) and are shipped two per carton at 80 lbs. (36kg).
- 3-year warranty.

SICO uses only the highest quality parquet. In addition, a high-grade polymer coating on the back of the panels aids in resisting moisture penetration.

SICO's Visi-Trim edging provides a modest 11° slope to every floor with its broad 5" width (127mm). In addition, the trim has a gold anodized finish that highlights the edges of the dance floor.



HOW MUCH DANCE FLOOR DO YOU NEED?*

* Assume that only one-third of your guests will dance, so the number of dancers shown in these graphs is only 33% of your total guests.

STARLIGHT and CAM-LAM Dance Floor Panels 4 ft. x 4 ft. (122cm x 122cm)

FLOOR SIZE	NUMBER	NUMBER	NUMBER
	OF PANELS	OF DANCERS	OF CADDIES
8'x 8' (244cm x 244cm)	4	16	1
8'x12' (244cm x 366cm)	6	24	1
8'x16' (244cm x 488cm)	8	32	1
12'x16' (366cm x 488cm)	12	48	1
12'x20' (366cm x 610cm)	15	60	1
16'x16' (488cm x 488cm)	16	64	1
16'x20' (488cm x 610cm)	20	80	1
16'x24' (488cm x 732cm)	24	96	1
16'x28' (488cm x 853cm)	28	112	2
16'x32' (488cm x 975cm)	32	128	2
20'x20' (610cm x 610cm)	25	100	1
20'x24' (610cm x 732cm)	30	120	2
20'x28' (610cm x 853cm)	35	140	2
20'x32' (610cm x 975cm)	40	160	2
24'x32' (732cm x 975cm)	48	192	2
24'x36' (732cm x 1097cm)	54	216	3
28'x32' (853cm x 975cm)	56	224	3
32'x32' (975cm x 975cm)	64	256	3
32'x36' (975cm x 1097cm)	72	288	3
36'x36' (1097cm x 1097cm)	81	324	4
36'x40' (1097cm x 1219cm)	90	360	4
40'x40' (1219cm x 1219cm)	100	400	4


ORIGINAL and CAM-LOCK Dance Floor Panels 3 ft. x 3 ft. (91cm x 91cm)

JIL X JIL (JICHI X JICHI)		
NUMBER	NUMBER	NUMBER
OF PANELS	OF DANCERS	OF CADDIES
6	12	1
9	18	1
12	24	1
15	30	1
16	32	1
20	40	1
28	56	2
30	60	2
35	70	2
40	80	2
45	90	2
48	96	2
54	108	3
60	120	3
63	126	3
70	140	3
77	154	4
81	162	4
88	176	4
100	200	4
110	220	5
120	240	5
	NUMBER OF PANELS 6 9 12 15 16 20 28 30 35 40 45 48 54 60 63 70 77 81 88 100 110	NUMBER OF PANELS NUMBER OF DANCERS 6 12 9 18 12 24 15 30 16 32 20 40 28 56 30 60 35 70 40 80 45 90 48 96 54 108 60 120 63 126 70 140 77 154 81 162 88 176 100 200 110 220

Contact your SICO sales representative to discuss your specific dance floor needs.



Dance Floor Features & Benefits



- **Square Panels** Each 3' x 3' (91cm x 91cm) panel is manufactured perfectly square, which guarantee's a perfect fit every time. Panels weigh 40lbs. (18 kg) each. Panels are shipped two per carton at 80lbs. (36kg) each. No odd sizes or panel order sequence to deal with in set-up or tear-down, allowing easier and faster set-up assembly.
- **High Quality Parquet** Solid wood inlaid parquet panels are carefully stained and protected by a durable polyurethane finish.
- **Protective Backer Finish** A high grade polymer coating is added to the back of each panel to resist moisture.
- **Screw-thread Insert** Durable locking system with this unique insert that protects the set-screw for long life.
- **T-6 Aluminum Metal Edge Strip** Panels are joined together by utilizing a tongue and groove, T-6 aluminum feature strip that protects the wood edges of each panel.
- Solid Floor Contact All panels make 100% floor contact so there is no possibility of breakthrough. Eliminates the flexing of panels and keeps parquet from coming loose.
- **Gold Anodized Border Trim** Easy Floor Access Each section of border trim provides a modest 11° slope and a broad 5" (13cm) width allowing for easy access to every floor. Each trim piece is grooved to make it a slip resistant surface.
- **Transport/Storage Caddies** An essential part of the SICO[®] system, this U-shaped caddie features a walk-in design that makes it easy to load and un-load up to 25 panels with trim. Each unit has convenient slots that protect panels and keeps your components neatly organized.
- Low Profile Design SICO's lower profile floor allows easier access and egress, at only 15/16" (24mm).
- **Warranty** Protected by a 3-year warranty on components.