



PRODUCT  CATALOGUE

INDEX

Page



SMOOTHEDGE CARPET GRIPPER..... 1

Easikrete..... 1



HEAT BOND TAPE..... 1

Smoothbond Tape 10 Beads..... 1

Ultra Wide Heat Bond Tape..... 1



ALUMINIUM EDGINGS.....2

Easi Plug System..... 5

Ramps..... 6

Stairnosing..... 7

Vinyl Inserts..... 8

Architectural..... 8

Iso Stairnosing..... 10



WOOD PROFILES.....11



TOOLS..... 14



ADHESIVES..... 21

Acrylic Adhesives..... 21

SBR'S Adhesives..... 22

Adhesives..... 22



MISCELLANEOUS.....25

Brass Stairrods & Brackets..... 25

SMOOTHEDGE CARPET GRIPPER

2

EASIKRETE

the original carpet gripper prenailed with 25mm concrete nails. Packed in a carton of 146,4m in 1,22m lengths.



HEAT BOND TAPE

164

SMOOTHBOND TAPE 10 BEADS

The best all purpose heat-bond tape. Designed for most domestic and commercial installations. Has adhesive between the ten adhesive beads to help penetrate the carpet backing. Has a fairly high softening point to help where undercarpet heaters are used. Packed in a 100m roll per box. Always test a small piece of carpet prior to seaming to ensure that a proper bond is obtained.



166

ULTRA WIDE HEAT BOND TAPE

Minimise seam peaking in all types of commercial installations with our ultra wide tape. This tapes extra width and heavy layer of adhesive reduces seam peaking (making it ideal for areas where cross lighting accentuates the seam). Can be used on virtually all carpets, including those with latex backings.



1

ALUMINIUM EDGINGS


All aluminium sections are available in either a mill finish or an anodised finish. Our standard anodised colour is light bronze and normally available ex stock. Other colours are available depending on quantity and availability and there will be a delay on their delivery. Sections that require teeth are also available in an unpunched version. Where possible three rows of teeth are punched to provide increased grip.

Inserts for nosing and the colour series are available as follows:
 Smoothedge Nosing Inserts: Black, grey, brown, red, white, yellow and plum
 Gripperods Type Nosings & Pin: Black, grey, Brown, plum
 Colour Naplok and Tread: Black, brown, grey, red, beige





NAPLOK

- USES** : Naplok is used to finish off stretch carpets fitted on underfelt.
- FEATURES** : Provides a neat finish to carpets.
 Provides a non trip surface.
 Prevents carpets slipping out by means of 3 rows of teeth.
 Stops carpet fraying.




COLOUR NAPLOK

- USES** : Same as naplok except it has a vinyl insert in the tread surface.
- FEATURES** : Several colours of insert available (Black, brown, grey, beige or red).
 Provides colour coded finish to carpets.
 Corporate colours can be used provided sufficient meterage is ordered.




TREAD

- USES** : Tread is used to finish off a glued down type carpet or carpet tile.
- FEATURES** : Provides a neat border for carpets.
 Ensures a non trip surface.
 Can be glued down.
 Can be drilled for easy installation for use with nails or screws.
 Economical bridging between different surfaces.



C.T. TREAD

- USES** : Same as tread except it has different dimensions and tread finish.
- FEATURES** : Provides alternative finish to tread.



257

256

ANODISED

258

259

ANODISED

307

305

ANODISED

375

376

ANODISED

ALUMINIUM EDGINGS

337

338

ANODISED

315

313

ANODISED

286

287

ANODISED

321

322

ANODISED

323



324

ANODISED

COLOUR TREAD

USES : Colour Tread is similar to tread but uses a vinyl insert which covers heads of fixing screws or nails.



FEATURES : Several colours of insert available (black, brow, grey, beige or red).
No unsightly fixing screws/nails visible.
Pre drilled to allow for easy fixing.
Corporate colours can be used if sufficient quantities are ordered.



TWINGRIP

USES : Twingrip is used to finish off stretch type carpets on underfelt when two carpets meet i.e. Between a passage and a room.


FEATURES : Stops carpets fraying.
Provides a border between different colour carpets.
Makes a neat finish.



THRIFTLINE

USES : Thriftline is used to finish off glued down type carpets or carpet tiles.


FEATURES : Provides neat finish.
Stops tiles moving.
Provides non trip surface.
Hides fixing nails.



50mm COVERSTRIP


USES : 50mm Coverstrip has similar uses to tread but provides a larger area coverage.

FEATURES : Provides a large neat surface to cover large gaps.
Provides large neat transition between ceramics and stretch carpets.
Covers wear area caused by carpet gripper under stretch carpeting in traffic areas.
Can be used as an expansion joint cover (see cat no. 339) or as an expansion joint cover on its own.




75mm WIDE COVERSTRIP

USES : Same features as 50mm Cover Strip but can accommodate extra width and is also more robust.





ALUMINIUM EDGINGS



VARISTRIP

USES : Varistrip is used to finish either glue down (without teeth) or stretch type carpet (with teeth), against ceramics or wooden flooring. Has extra wide base with 3 rows of teeth.



FEATURES : Has an adjustable leg to accommodate different heights.
Provides non trip finish.
Prevents as well as covers chipped ceramic tiles.
Has a large tread (wear) section to allow for expansion with wooden floors.
Very neat.
Large base makes for easy installation.



ONE SIDED TWINGRIP

USES : One Sided Twingrip is used to finish either stretch type carpets (with teeth) or glue down (without teeth) or carpet tiles (without teeth) against ceramics.


FEATURES : Prevents as well as covers chipped ceramic tiles.
Provides neat finish.



CERAMIC TO CARPET

USES : Ceramic to Carpet is used to finish off carpeting against ceramic tiles or wood the same as One Sided Twingrip or Varistrip except that it accommodates thinner carpets either glue down (without teeth) or stretch type carpet (with teeth).


FEATURES : Provides non trip finish.
Prevents as well as covers chipped ceramic tiles.
Provides neat transition between ceramics and lower (thinner) carpets.



FASTEDGE

USES : Fastedge is used to finish off carpeting (either glue down or stretch type) against ceramics, wood or other upright surfaces to prevent a dust trap. (i.e. against french doors or kick strips).

FEATURES : Can be used with or without gripper teeth (2 rows).
Provides flush finish against upright surfaces.



205

206

ANODISED

201

202

ANODISED

331

332

ANODISED

247

246

ANODISED

ALUMINIUM EDGINGS

216

217



ANODISED

326

CONTRACT FASTEDGE

USES : Same as fastedge except bigger dimensions when used without gripper teeth provides an excellent frame for pinning boards.




FEATURES : Can be used with or without gripper teeth (3 rows).
provides flush finish against upright surfaces.
Can be used with gripper teeth against carpet ramp (cat no. 211).



PIN

USES : As a transition between different floor finishes as a non slip tread on slopes as a bumper rail on walls or as a tread on steps where no lip is required.

FEATURES : Insert available in different colours.
Insert hides method of fixing.
Insert can be replaced easily (worn or different colour scheme).



EASI PLUG SYSTEM


EASI PLUG

EASI PLUG SYSTEM


The Easi Plug System offers the contractor unique advantages to the nail or screw method...

USES : To finish off a glued down type carpet or carpet tile or to cover a large gap in fitted floors or as a bridge between different floor finishes.

FEATURES : Invisible fastening (no screws or nail heads visible).
Wide spread aesthetically pleasing use in which the plug itself is the fastener.
Pre drilled holes in floor can be slightly out of line as plug can turn in the easi section of the metal to always fit into the holes.



EASITREAD



351

352



ANODISED

355

356

ANODISED

EASI COVER STRIP




ALUMINIUM RAMPS



CARPET RAMP

USES : Designed to facilitate the movement of trolleys over carpet edges. Used in conjunction with contract fastedge (Cat No, 216).

FEATURES : Provides protection of carpeting from floor care programmes.



TILE RAMP

USES : Same as carpet ramp except with carpet tiles and glued down installations.


FEATURES : Same as Cat No. 211.



R. RAMP

USES : Provides an economic ramp between needle punch or glue down installation to floor.


FEATURES : Easy installation.
Neat finish.
Lip stops carpet curling.
A non trip section.



ANGLE EDGE

USES : For corner protection on platforms, counter tops and exposed corners.

FEATURES : Neat patterned ribbed finish.



211

212

ANODISED

292

293

ANODISED

368

369

ANODISED

241

242

ANODISED

ALUMINIUM STAIRNOSING

276



277

ANODISED

SINGLE STAIRNOSING

USES : Single Stairnosing is used on steps where an edge protection is required when stretch type carpets are fitted. Also as a safety precaution

FEATURES : Provides non trip/slip finish.
Provides neat finish.
Has a rebate in insert for nail or screw head.
Has a choice of vinyl insert colours (white, black, brown, red, grey, plum or yellow).
Carpeting strips can be used instead of vinyl inserts.



272



273

ANODISED

SINGLE BULLNOSING

USES : Same as Single Stairnosing except that different profile is required.

FEATURES : Same as Single Stairnosing.



225


226

ANODISED

DOUBLE SQUARENOSING

USES : Double Stairnosing is used where extra edge protection when stretch type carpets are installed on steps is required. Is also used where single nosing is too small to be fixed to the step properly

FEATURES : Provides non-trip/slip finish with two vinyl inserts.
Provides neat finish.
Has rebate in insert to accommodate nail or screw head.
Has a choice of vinyl insert colour (white, black, brown, red, grey, plum or yellow).
Two different colour inserts can be used on the same step.
Carpeting strips can be used instead of vinyl inserts.



221


222

ANODISED


DOUBLE BULLNOSING

USES : Same as Double Stairnosing except that different profile is required.

FEATURES : Same as Double Stairnosing.




ALUMINIUM STAIRNOSING




USES : Tilenosing is used on steps as an edge protection when fitting carpet tiles or glue down type carpeting.

FEATURES : Provides non trip finish.
Provides neat finish.
Easy to install.
Has no insert to install.

TILENOSING



VINYL INSERTS



GRIPERRODS INSERT


Available in black, grey, brown and plum.



SMOOTHEDGE INSERT

Available in black, grey, brown, red, white, plum and yellow.


ARCHITECTURAL



100mm HEAVY DUTY STAIRNOSING CEMENT FIX FOR CERAMICS


USES : Primarily used on ceramic tiled steps to eliminate ceramics breaking or chipping. Cement fixed. This section actually replaces the tread on steps.

FEATURES : Cement fixed at the same time as fitting ceramic tiles.
Gives a non-trip finish as section is fitted flush with the tiles.
Riser tile fits underneath section.
Heavy duty application.



60mm HEAVY DUTY STAIRNOSING CEMENT FIX FOR CERAMICS

USES : Same as 100mm except smaller maybe for domestic use.



296

297

ANODISED

285

281

288

289

ANODISED

291

294

ANODISED

ALUMINIUM STAIRNOSING

295

316

ANODISED

317

318

ANODISED

339

340



ANODISED

299

112mm HEAVY DUTY STAIRNOSING

USES : Great for refurbishing exterior steps at office blocks and public buildings.


FEATURES : Large enough to hide chipped exterior steps.
Easily fixed with silicon and plugged screws.
Will improve safety on steps.



62mm HEAVY DUTY STAIRNOSING

USES : May be used on wooden steps where no vinyl insert is required.



FEATURES : No insert.
Easily fixed with screws from the top.



95mm WIDE FLOOR EXPANSION JOINT AND COVER

USES : 95mm Wide Floor Expansion Joint is used to provide a protection for vinyl tiles on expansion joints in floors.
Expansion joint is held in place by means of a W Spring Clip inserted into the expansion joint

FEATURES : Design accommodates vinyl tile or sheeting up to 3mm thickness.
An optional aluminium insert (50mm Cover Strip) can be used.
Or 50mm Wide strips of floor covering can be fitted into the recess.



W. SPRING CLIPS

USES : Fitted by means of poprivets underneath the recess in expansion joint.





ALUMINIUM ISO STAIRNOSING

Iso stairnosings are used to provide a robust visible glow, safety feature to stair edges in the dark. A recess channel in the front of the nosing accommodates a glass tube 20mm long x 3mm diameter, filled with tritium gas. This provides a light source that neither requires batteries, wires, charging or maintenance. These iso lights can be spaced in the nosing by means of a black plastic tube. The design is such that these lights are protected from wear. Iso lights are completely safe.


Iso Stairnosings are available in 3 different types.




ISO SINGLE STAIRNOSING



ISO DOUBLE STAIRNOSING



ISO FLAT STAIRNOSING



ISO LIGHTS

450

451

ANODISED

452

453

ANODISED

454

455

ANODISED

456

WOOD PROFILES

460

461

ANODISED

464

465

466

ANODISED

467

468

ANODISED

469



470

ANODISED

WOOD EDGE


USES : Wood edge is used to fit and protect the end of the wood/laminate flooring 7-8mm thick. Providing a robust expansion accommodating finish.

FEATURES : Manufactured from aluminium.
Normally anodised in a light bronze finish to compliment most wood finishes (also in Mill finish)
Easy to install.



BASE


USES : Base for CAT 465, 467 and 469.



WOODEND

USES : Wood end is used to fit at the end of wood flooring the same as wood edge except that it is used with a base to provide an adjustable height to accommodate different thicknesses of wood flooring (see cat no. 464 BASE).


FEATURES : Used with its base can be adjusted for different heights by the use of screws of varying lengths.
: Can be predrilled.



TRANSITION STRIP

USES : To bridge the height difference between a lower lying floor and wood/laminate flooring forming a ramp.


FEATURES : When used with (BASE 464) allows for expansion of wood allows trolleys to ramp onto flooring.
: Safety a trip free transition between varying heights.
: Can be predrilled.



WOOD EXPANSION

USES : Wood expansion joint allows for the expansion of wood/laminate flooring at intervals recommended by flooring manufacturer.
(Used with cat no. 464 BASE)

FEATURES : Flush finish a non trip section.
: Can be predrilled.




WOOD PROFILES



USES


MINI WOOD END
: Same as CAT 465 but only a smaller version to be used with CAT 479 BASE.



473


474

ANODISED



USES

MINI TRANSITION
: A smaller version of CAT 467 to be used with CAT 479 BASE.



475


476

ANODISED



USES

MINI WOOD EXPANSION JOINT
: A mini version of CAT 469 to be used with CAT 479 BASE.



477


478

ANODISED




USES: Mini Base for CAT 477, 475 and 473.

MINI BASE




479



USES : Provides a formable finish to curved flooring designs protecting both sides.

VINYL CAPPING

FEATURES : Vinyl T cap available in different colours.
Less expensive than metal.
Height adjustable.
All base off cuts usable to allow less wastage.
Can be used straight or curved by mitreing base.



480

BASE FOR
VINYL CAPPING

481


VINYL CAPPING



USES : Wood nosing is used to provide a protective edge for wood/laminate flooring 7 to 8mm thick fitted on steps.

WOOD NOSING

FEATURES : Easy to install.
Shows very little aluminium yet at the same time providing a strong base.
Provides a very neat finish.



462

463

ANODISED

WOOD PROFILES

482


483

ANODISED

8mm FORMABLE STRIP

USES : Provides a protective edge for wood/laminate, ceramic or carpeted floors and also can allow them to have a curved finish.

FEATURES : Can be used straight or curved.
Pre Punched gaps in base allows for easy installation.
Different heights available for different thicknesses.



471


484

ANODISED

11mm FORMABLE STRIP

USES : Provides a protective edge for wood/laminate, ceramic or carpeted floors and also can allow them to have a curved finish.

FEATURES : Can be used straight or curved.
Pre Punched gaps in base allows for easy installation.
Different heights available for different thicknesses.



472


473

ANODISED

13mm FORMABLE STRIP

USES : Provides a protective edge for wood/laminate, ceramic or carpeted floors and also can allow them to have a curved finish.

FEATURES : Can be used straight or curved.
Pre Punched gaps in base allows for easy installation.
Different heights available for different thicknesses.



492


493

ANODISED

FORMABLE T-CAP

USES : Used to provide an easily formable finish and protection in a curve.


FEATURES : Protects edges on both sides i.e. ceramics & wood/laminates.
Allows freedom of design.
Ribbed top finish helps hide scuff marks.
Can be used either straight or curved.
Height adjustable.



495

FORMABLE BASE

USES : Formable Base for T-Cap.



TOOLS

SMOOTHEDGE JUNIOR POWER STRETCHER

An economical power stretcher loaded with many benefits:

- The low profile head is easy to span with a kicker.
- Variable pin penetration for different carpet thicknesses.
- 45cm Spring loaded tail block with a foam wall protector.
- Stretch up to 7,20m with the 4 included tubes.
- Robust carrying case on wheels.



641

SMOOTHEDGE DELUXE KNEE KICKER

An industry standard for many years

- Trigger assembly easily adjusts length from 43cm to 53cm.
- Superior die cast aluminium body is light weight and durable.
- Foam filled seamless bumper pad for your comfort.
- Easy to adjust pin depth dial.
- Centre grooved head for adjusting power stretching head.



570

DELUXE HEAT BOND IRON

Streamlined, low profile design lets you join carpets easily. The grooved teflon base keeps the melted adhesive in place also allows for easy cleaning. This iron has an even heat distribution for thorough melting and an effective heat shield to help prevent backings from overheating.

Has a three way cord adjustment (so it always keeps out of the way) and a stay cool handle and thermostat adjustment control. Certainly the most popular iron on the South African market.



556

TOOLS

705

46cm BALL HANDLED SCRAPER

- Use this scraper with its extra comfortable ball shaped handle all day long.
- Has an extra sharp 100mm hardened steel blade clamped with 3 screws for maximum blade holding.



706

30cm FLOOR/WALL SCRAPER

- Strips floors/wall easily.
- Uses same blade as Cat 705.



703

HEAVY DUTY STAND-UP SCRAPER

- Dependable heavy duty scraper easily converts to a stand-up scraper with the addition of a stretcher extension tube (not included).
- "Action lock" comfortable handle adjusts 360° to any position to enable you to maximise thrust and conserve energy.
- The most versatile and rugged scraper on the market features 150mm hardened steel blade, heavy duty cast aluminium head and hardened steel locking cam.
- Blade is reversible (can be used on two sides).



707

EXTENDABLE SCRAPER

- Same great features as our Cat 642 but shorter.
- Adjustable from 500mm to 1m to maximise your work effort.



710

10cm SCRAPER BLADES

- Packets of 10.
- Use with Scraper Cat 705/706



TOOLS

647

20cm SCRAPER BLADES

Packets of 2.

- Use with Scraper Cat 642/707

709

15cm HEAVY DUTY SCRAPER BLADES

1 Blade.

- Use with Scraper Cat 703

558

HEAVY DUTY BLADES

Boxes of 100 blades.

585

MEDIUM DUTY BLADES

Boxes of 100 blades.

559

HOOKED BLADES

Boxes of 100 blades.

SLOTTED RAZOR BLADES

Sold in packets of 10.

719

PLASTIC STAIRTOOL (IMPORTED)

- Lightweight plastic tucking tool will not mark or damage walls.
- Use around toilets and ceramic tile without fear of breakage.



725

EXTENSION TUBE SET (INNER AND OUTER)

- 91,44mm Steel stretcher tube fits junior stretcher and most other stretchers.



713

ECONOMY TROWELS

- Excellent Price.
- Trowel measures 22,5cm x 10cm, has cold-rolled steel blade for long wear.
- Handle is made of high impact black plastic.
- Has double notch sizes for versatility.
- Notch sizes are : 3mm wide at 2mm intervals and 3mm deep
: 1,5mm wide at 1,5mm intervals and 1,5mm deep



630 A

WOODEN HANDLED TROWEL

- Strongly constructed with a comfortable wooden handle.
- Measures 11cm x 28cm.
- Has 1,5mm wide notches at 2mm intervals and are 1,5mm deep.
- Is smooth on two sides.



630 B

WOODEN HANDLED TROWEL

Same as 630A, but with larger notches.

- Has 3mm wide notches at 3mm intervals and are 2,5mm deep.
- Is smooth on two sides.



TOOLS



KNEE PADS

- Has extra wide straps fastening with velcro for easy attachment.
- Protects your knees for hours with thick durable foam rubber pads.
- Saves your expensive work clothes.



68kg Roller

- 3 Part steel induction hardened roller.
- Segmented rollers exert even pressure on uneven surfaces.
- Inset axles wont scuff walls or skirtings.
- A must for installing vinyl tiles, sheeting and carpet tiles.



UTILITY KNIVES

- Lightweight unique construction for cutting all types of flooring.
- Easy open knob with bail makes blade changes easy.
- Checkered handle for slip resistant grip.
- Affordable price.



RETRACTABLE BLADE KNIFE

- Heavy duty construction with many unique features.
- Allows blade change without opening knife.
- Blade storage in handle without opening knife
- Sturdy flap over design doesn't let blade slip through knife mouth.
- Bent neck helps get to hard to reach cuts.



CARPET SEAM ROLLER

- Extra wide 12cm head reduces dishing in seam area.
- Comfortable handle.
- Get stronger seams and increased hot melt transfer into carpet backing with stationary roller shaft.
- Blends carpet yarn for better looking joins.



RIPPING HAMMER

- Long claws are ideal for pulling up old strip.
- Comfortable wooden handle.
- 900g Weight.

730

536

715

716

720

728

711

BASE MOULDING LIFTER

- Specially curved design with notched ends for easy nail removal.
- Forged from high carbon steel.
- You can't fit without one.



534

STAIRTOOL/BOLSTER IMPORTED

- Made from chrome plated steel for durability.
- Use to set carpet into smoothedge, drive carpet into gullies, crease carpets along wall line and tuck carpet into stairway crotch.
- Has longer life span than a brick bolster.



717

LOOP PILE CUTTER

- Cuts most loop pile carpets efficiently regardless of thickness.
- Unique two blade design accommodates both for left and right positions for cutting closer to pile row.
- Throat opening adjusts for different carpet backs.
- Blade angle allows for easy cutting.
- Made from stainless steel for durability.
- Helps make invisible joins.
- Uses slotted razor blades (Cat 604) packed in 10's.



643

30cm CARPET SHEARS

- Has cushioned handles for comfort.
- Made from quality high carbon steel.
- Economically priced with great cutting ability.



527

DUCKBILL NAPPING SHEARS

- Has cushioned handles for comfort.
- Offset handle and special blade prevent gouging while napping.



722

DELUXE CARPET CLAMP

- Unique design gives maximum pulling power.
- Serrated clamps provide firm carpet grip.
- Large comfortable handle.
- Solid die-cast aluminium.
- A must to help uplift carpets.



TOOLS



MAGNETIC NAIL DRIVING BAR

- Constructed of cold forged carbon steel for long life.
- Features a magnetic head to hold nails in place for easy starting.
- Unique design to nail into hard to reach places such as - under radiators, toe kicks overhangs and next to glass doors.
- Comfortable plastic hand grip.



VINYL CHAIRMATS 91cm x 1,22cm

- Keyhole shaped vinyl with studs to prevent movement on carpets.
- Prevents undue carpet wear and delamination because of roller castor office chairs.
- Imported top quality.



VINYL CHAIRMATS 114cm x 1,22cm

- As above.

NAILS

Zinc plated silver masonry nails. 1kg Boxes.

20mm NAILS

430

25mm NAILS



32mm NAILS

416

38mm NAILS



50mm NAILS

418

32mm PANEL PINS



5mm DRILL BIT



718

22

23

415

417

428

432

ACRYLIC ADHESIVES

102

20 LITRES

101

5 LITRES

142

20 LITRES

143

5 LITRES

103

20 LITRES

104

5 LITRES

132

20 LITRES

133

5 LITRES

ACRYFIX:

A premium quality acrylic adhesive. Remains slightly tacky for 72hrs on drying. Excellent for vinyl sheet goods and tiles.



ACRYTAC:

An industry standard multipurpose acrylic adhesive. Good for vinyl tiles, sheet goods and carpet tiles. Best seller for some time.



MONOGRIP

A slightly extended acrylic adhesive for vinyl tiles, sheet goods and carpet tiles. Economically priced but giving good strength characteristics.



MAXIGRIP

A revolutionary new acrylic adhesive used as a multipurpose adhesive. Good for vinyl tiles, sheet goods and carpet tiles.



SBR'S ADHESIVES



STICKFIX

A non flammable latex based adhesive with good open time and excellent slow grab for adhering most types of carpet in domestic and commercial installations. Its reasonable price belies its multipurpose capabilities.

120

20 LITRES

118

5 LITRES



FASTGRAB

Popular for many years this adhesive comes to the fore when difficult installations arise. It has excessive bond strength and is great for speeding through commercial installations eliminating edge curls and bubbles. Good for use in high traffic areas and on colder days.

140

20 LITRES

141

5 LITRES

SOLVENT FREE ADHESIVES



EARTH BOND

A revolutionary solvent free acrylic bond adhesive containing no alcohol, glycol, menthanol ammonia and no associated hazardous vapours. This product offers architects installers and end users a total solution to the potential hazards commonly associated with traditional floor covering adhesives. Has excellent bond strength and working characteristics. Earthbond does not contribute to sick building syndrome and is suitable for hospitals, retirement homes, hotels, office blocks and restaurants where hazardous vapours may present potential health risks. No one loses with Earthbond.

131

20 LITRES

130

5 LITRES



MULTIGRIP

Another solvent free adhesive that has been used successfully for many years. Has the same user and strength characteristics as Fastgrab.

137

20 LITRES

138

5 LITRES

ADHESIVES

127

20 LITRES

126

5 LITRES

125

2 LITRES

105

20 LITRES

106

5 LITRES

107

5 LITRES

112

15 KGS

CONTACT ADHESIVE

A brushable grade flammable contact adhesive formulated for a strong bond on most surfaces. Resists water and household chemicals.



SAFETAK

A non flammable contact adhesive. Get the strength without the flammable hazard.



LATEX 60%

Used for sealing, binding, overcasting and edges of carpeting (both woven and tufted) prior to heat bond seaming. Can also be used for rebinding delaminated secondary carpet backings and for the installation of underfelt.



SUPERKRETE

The ultimate in floor screeding and patching. A proprietary leveling compound with properties of excellent adhesion and compressive strength.



ADHESIVES



SUPERBOND BONDING LIQUID

A high quality primer and smoothing compound additive. Recommended for use with Superkrete. Don't waste expensive preparation products and time use this product to help ensure you do it right the first time.

110

5 LITRES



ALL WEATHER OUTDOOR CARPET ADHESIVE

Designed especially for the permanent installation of most types of artificial turf and outdoor carpets. Can be used through a wide temperature range (7°C to 38°C). This waterproof adhesive withstands light rain soon after installation. An economical consideration that it only need be applied to one surface.

158

20 LITRES

159

5 LITRES

2001 PSA



2001 PSA:

High quality super hold pressure sensitive acrylic adhesive. Fast set-up time if required to install at speed. Has excellent spread rate and can also be applied by roller. If used as a normal acrylic material should be installed within +/- 30 minutes of open time. Pressure-sensitive makes it easy to remove tiles for under-carpet ducts, electric cabling and for the replacement of worn out or damaged carpet tiles. Recommended for sandwich type installations where pressure sensitive adhesive is used for attaching a rubber underlay to the floor and a normal acrylic adhesive is used to keep the carpeting stuck to the underlay, thus enabling the whole installation to be removed after its useful life-span.

Pressure sensitive characteristics are achieved if adhesive is applied and left open for +/- 2 hours.

155

20 LITRES

156

5 LITRES

MISCELLANEOUS

BRASS STAIR RODS & BRACKETS

USES : To hold carpet runner in place down stairs, brackets are placed on either side of runner and rod is inserted into brackets to hold runner in corner between step and riser.

FEATURES : The "ultimate" aesthetically pleasing finish to a carpet runner on a stairway.
: Solid brass.
: Tailor made to size.
: Finials turned by lathe to finish off the rod ends.
: Easily removed for cleaning fitting because of hinged design.

311

BRACKET

312

ROD





**42 13th Road
Kew
Johannesburg
South Africa**

**P.O. Box 39260
Bramley
2018**

**Tel: (011) 786-2726
(011) 555-5360
Fax: (011) 887-7727**

